

MATERIAL SAFETY DATA SHEET

VERDE CLARO (LT. GREEN)

Version Number 1.0 Revision Date 09/20/2001 Page 1 of 5 Print Date 11/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	VERDE CLARO (LT. GREEN)
Product code	:	CC10001315
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %	
Titanium dioxide	13463-67-7	60 - 100	

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect his employee from exposure. See sections 3 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: No known effects.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

VERDE CLARO (LT. GREEN)

Version Number 1.0 Revision Date 09/20/2001 Page 2 of 5 Print Date 11/1/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 Deg F
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable. Not applicable. Not applicable. Carbon dioxide blanket, dry powder, foam.
Special Fire Fighting Procedures	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
Unusual Fire/Explosion Hazards	. INOLIE
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

VERDE CLARO (LT. GREEN)

Version Number 1.0 Revision Date 09/20/2001 Page 3 of 5 Print Date 11/1/2011

8 F		nd contaimination.			
Respiratory protection	: U	Under normal handling conditions a respirator is not required.			
Eye/Face Protection	: S	afety glasses with s	ide-shields.		
Hand protection	: P	Protective gloves.			
Skin and body protection	: L	ong sleeved clothin	ıg.		
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		leat only in areas w		iate exhaust ventilatio at machinery.	n. Provide
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Titanium dioxide	10 mg/m3	3 Time Weighted Average			ACGIH
	15 mg/m3	(TWA): PEL:		Total dust.	OSHA Z1
I I	ie ing ine	122.		10000 00000	0011111
	9. PHYSIC	CAL AND CHEM	ICAL PRO	PERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: GRE : Very : Not a	ous, liquid EN faint applicable applicable	Specific Gravity:NoBulk density:NoVapor pressure:NoVapor density:No		lot determined. lot determined. lot applicable. lot determined. lot determined. lot applicable.
	10. 5	STABILITY AND	REACTIV	TTY	
Stability	: S	table.			
Hazardous Polymerization	n : W	Vill not occur.			
Conditions to avoid	: K	leep away from oxi	dizing agen	ts and open flame.	
Incompatible Materials	: Ir	ncompatible with st	rong acids a	and oxidizing agents.	
Hazardous decomposition	ı : C	arbon dioxide (CO	2), carbon r	nonoxide (CO), oxide	s of nitrogen

3/5



MATERIAL SAFETY DATA SHEET

VERDE CLARO (LT. GREEN)

Version Number 1.0 Revision Date 09/20/2001

Page 4 of 5 Print Date 11/1/2011

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION			
Persistence and degradability	: Not readily biodegradable.			
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.			
Bioaccumulation Potential	: Does not bioaccumulate			
Additional advice	: No data available.			
13. DISPOSAL CONSIDERATIONS				
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
14. TRANSPORT INFORMATION				
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: This product is not regulated for transport			
ICAO/IATA	: This product is not regulated for transport			
IMO / IMDG	: This product is not regulated for transport			
	15. REGULATORY INFORMATION			
US Regulations:				
OSHA Status	: Classified as hazardous			



MATERIAL SAFETY DATA SHEET

VERDE CLARO (LT. GREEN)

Version Number 1.0 Revision Date 09/20/2001		Page 5 of 5 Print Date 11/1/2011	
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.	
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.	
Canadian Regulations:			
WHMIS Classification	:	D2B	
DSL	:	Listed.	
National Inventories:			
Australia AICS	:	Listed.	
China IECS	:	Listed.	
Europe EINECS	:	Not Listed.	
Japan ENCS	:	Not Listed.	
Korea KECI	:	Listed.	
Philippines PICCS	:	Listed.	
16. OTHER INFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.