DKA-PASTEL PEBBLE/C702-20

Version Number 1.14 Revision Date 08/16/2019 Page 1 of 18 Print Date 08/17/2019

SAFETY DATA SHEET

DKA-PASTEL PEBBLE/C702-20

Section 1. Identification	on	
GHS product identifier	:	DKA-PASTEL PEBBLE/C702-20
Chemical name CAS number	:	Mixture Mixture
Other means of identification Product type	:	CC10058029 solid
Relevant identified uses of the subs	stance	e or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/18

DKA-PASTEL PEBBLE/C702-20

Version Number 1.14 Revision Date 08/16/2019 Page 2 of 18 Print Date 08/17/2019

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10058029

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	10 - 25	13463-67-7
Nickel antimony yellow rutile (C.I. Pigment Yellow 53)	5 - 10	8007-18-9
Decanedioic acid, bis(2,2,6,6-tetramethyl-4-piperidinyl) ester	1 - 3	52829-07-9
Silica, amorphous	1 - 3	7631-86-9
Carbon black	0.3 - 1	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

<u>olyOne</u>

DKA-PASTEL PEBBLE/C702-20

Version Number 1.14 Revision Date 08/16/2019 Page 3 of 18 Print Date 08/17/2019

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate medical	tention and special treatment needed, if necessary
Notes to physician	: In case of inhalation of decomposition products in a fire, symptom may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.
	2/40

)ne

DKA-PASTEL PEBBLE/C702-20

Version Number 1.14 Revision Date 08/16/2019 Page 4 of 18 Print Date 08/17/2019

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions		Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).



DKA-PASTEL PEBBLE/C702-20

Version Number 1.14 Revision Date 08/16/2019

Page 5 of 18 Print Date 08/17/2019

Methods and materials for containment and cleaning up

Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30)



DKA-PASTEL PEBBLE/C702-20

Version Number 1.14 Revision Date 08/16/2019 Page 6 of 18 Print Date 08/17/2019

	TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Nickel antimony yellow rutile (C.I. Pigment Yellow 53)	OSHA PEL (1993-06-30) TWA 1 mg/m3 (as Ni) OSHA PEL 1989 (1989-03-01) TWA 0.1 mg/m3 (as Ni) Form: Soluble ACGIH TLV (1998-09-01) TWA 0.1 mg/m3 (as Ni) Form: Inhalable fraction OSHA PEL (1993-06-30) TWA 1 mg/m3 (as Ni) OSHA PEL (1989 (1989-03-01)) TWA 1 mg/m3 (as Ni)
Silica, amorphous	NIOSH REL (1994-06-01) TWA 6 mg/m3
Decanedioic acid, bis(2,2,6,6- tetramethyl-4-piperidinyl) ester	None.
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. 6/18

6/18

PolyOne.

DKA-PASTEL PEBBLE/C702-20

Version Number 1.14 Revision Date 08/16/2019		Page 7 of 18 Print Date 08/17/2019
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this
Respiratory protection	:	product. Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	GREY
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.

<u>olyUne</u>.

DKA-PASTEL PEBBLE/C702-20

Version Number 1.14 Revision Date 08/16/2019 Page 8 of 18 Print Date 08/17/2019

Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure			
Carbon black	lack						
	LD50 Oral	Rat	15,400 mg/kg	-			
Remarks - Inhalation:	No applicable to	xicity data					
Remarks - Dermal:	No applicable to	No applicable toxicity data					
Decanedioic acid, bis(2,2,6,6-t	etramethyl-4-pipe	ridinyl) ester					
Remarks - Oral:	No applicable toxicity data						
Remarks - Inhalation:	No applicable toxicity data						
Remarks - Dermal:	No applicable toxicity data						
Titanium dioxide							



DKA-PASTEL PEBBLE/C702-20

Version Number 1.14 Revision Date 08/16/2019 Page 9 of 18 Print Date 08/17/2019

Remarks - Oral:	No applicable toxicity data					
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h		
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-		
Nickel antimony yellow rutile	(C.I. Pigment Yellow	v 53)				
Remarks - Oral:	No applicable toxic	No applicable toxicity data				
Remarks - Inhalation:	No applicable toxic	No applicable toxicity data				
Remarks - Dermal:	No applicable toxic	No applicable toxicity data				
Silica, amorphous						
Remarks - Oral:	No applicable toxicity data					
Remarks - Inhalation:	No applicable toxicity data					
Remarks - Dermal:	No applicable toxicity data					
Conclusion/Summery	Miytu	re Not fully tested				

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Silica, amorphous	Eyes - Mild	Rabbit		24 hrs	-
-	irritant				
Conclusion/Summary					
Skin	: N	lixture.Not fu	ally tested.		
Eyes	: N	lixture.Not fu	ally tested.		
Respiratory	: M	lixture.Not fu	ally tested.		
Sensitization					
Conclusion/Summary					
Skin	: N	lixture Not fi	illy tested		
Respiratory	Mixture.Not fully tested.Mixture.Not fully tested.				
Respiratory	• 10		ing tostou.		
Mutagenicity					
Conclusion/Summary	: N	lixture.Not fu	ally tested.		
Carcinogenicity					
Caremogementy					
Conclusion/Summary	: N	lixture.Not fu	illy tested		
Classification	•				
Product/ingredient	OSHA	IARC	NTP		
name	2.0				
Carbon black		2B			
Titanium dioxide		2B			
Nickel antimony yellow		1			



DKA-PASTEL PEBBLE/C702-20

Version Number 1.14 Revision Date 08/16/2019 Page 10 of 18 Print Date 08/17/2019

(i) (C I Discussion)				1
rutile (C.I. Pigment Yellow 53)				
Silica, amorphous		3		
Reproductive toxicity				
Conclusion/Summary	:	Mixture.	Not fully	tested.
<u>Feratogenicity</u>				
Conclusion/Summary	:	Mixture.	Not fully	tested.
Specific target organ toxicity (sing Not available.	<u>gle exp</u>	osure)		
Specific target organ toxicity (rep Not available.	eated o	exposure)		
Aspiration hazard Not available.				
Information on likely routes of exposure	:	Not avail	able.	
Potential acute health effects				
Eye contact	:	No know	n signific	ant effects or critical hazards.
Inhalation	:			ant effects or critical hazards.
Skin contact				ant effects or critical hazards.
Ingestion	:			ant effects or critical hazards.
Symptoms related to the physical,	chemi	cal and tox	xicologica	l characteristics
Eye contact	:	No specif	fic data.	
Inhalation	:	No specif	fic data.	
Skin contact	:	No specif		
Ingestion	:	No specif	fic data.	
Delayed and immediate effects as	well as	chronic ef	ffects from	m short and long-term exposure
Short term exposure				
Potential immediate effects	:	Not avail	able.	
Potential delayed effects	:	Not avail	able.	

<u>PolyOne</u>.

DKA-PASTEL PEBBLE/C702-20

Version Number 1.14 Revision Date 08/16/2019 Page 11 of 18 Print Date 08/17/2019

Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Numerical measures of toxicity		

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure				
Carbon black							
Remarks - Acute - Fish:	No applicable toxicity data	No applicable toxicity data					
	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h				
	water	Daphnia					
Remarks - Acute - Aquatic	Acute						
invertebrates.:							
Remarks - Acute - Aquatic	No applicable toxicity data						
plants:							
Remarks - Chronic - Fish:	No applicable toxicity data						
Remarks - Chronic -	No applicable toxicity data						
Aquatic invertebrates.:							
Decanedioic acid, bis(2,2,6,6-t	etramethyl-4-piperidinyl) ester						
Remarks - Acute - Fish:	No applicable toxicity data						
	Acute EC50 8.6 Mg/l Fresh water	Aquatic invertebrates.	48 h				
		Daphnia					



DKA-PASTEL PEBBLE/C702-20

Version Number 1.14 Revision Date 08/16/2019 Page 12 of 18 Print Date 08/17/2019

Remarks - Acute - Aquatic invertebrates.:	Acute						
Remarks - Acute - Aquatic	Na applicable tonicity data						
plants:	No applicable toxicity data						
Remarks - Chronic - Fish:	No applicable toxicity data						
Remarks - Chronic -	No applicable toxicity data						
Aquatic invertebrates.:							
Titanium dioxide							
	Acute LC50 > 1,000 Mg/l Marine water	Fish - Fish	96 h				
Remarks - Acute - Fish:	Acute						
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h				
Remarks - Acute - Aquatic invertebrates.:	Acute						
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h				
Remarks - Acute - Aquatic invertebrates.:	Acute						
	No applicable toxicity date						
Remarks - Acute - Aquatic plants:	No applicable toxicity data						
Remarks - Chronic - Fish:	No applicable toxicity data						
Remarks - Chronic -	No applicable toxicity data	No applicable toxicity data					
Aquatic invertebrates.:							
Nickel antimony yellow rutile	(C I Pigment Yellow 53)						
Remarks - Acute - Fish:	No applicable toxicity data						
Remarks - Acute - Aquatic	No applicable toxicity data						
invertebrates.:							
Remarks - Acute - Aquatic	No applicable toxicity data						
plants:							
Remarks - Chronic - Fish:	No applicable toxicity data						
Remarks - Chronic -	No applicable toxicity data						
Aquatic invertebrates.:							
Silica, amorphous							
Remarks - Acute - Fish:	No applicable toxicity data						
Remarks - Acute - Aquatic	No applicable toxicity data						
invertebrates.:							
Remarks - Acute - Aquatic	No applicable toxicity data						
plants:	No oppliable toxisity data						
Remarks - Chronic - Fish: Remarks - Chronic -	No applicable toxicity data No applicable toxicity data						
Aquatic invertebrates.:							
DKA-PASTEL PEBBLE/C702	2-20						
Remarks - Acute - Aquatic	Chemicals are not readily available a	as they are bound within the	e polymer matrix				
Tenter - Tryatte	Chemicals are not readily a valiable a	is any are bound wrann the	Polymor maura.				



DKA-PASTEL PEBBLE/C702-20

Version Number 1.14 Revision Date 08/16/2019

Page 13 of 18 Print Date 08/17/2019

invertebrates.:		
Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.
Persistence and degradability		
Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Decanedioic acid, bis(2,2,6,6-	0.35	-	low
tetramethyl-4-piperidinyl) ester			

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

ne.

DKA-PASTEL PEBBLE/C702-20

Version Number 1.14 Revision Date 08/16/2019 Page 14 of 18 Print Date 08/17/2019

Section 14. Transport information U.S.DOT 49CFR
Ground/Air/Water : Not regulated for transportation. International Air
ICAO/IATA : Not classified as dangerous goods under transport regulations. International Water
IMO/IMDG : Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not
	listed
	United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
	United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed
	United States - TSCA 8(c) - Significant adverse reaction (SAR):
	Not listed
	United States - TSCA 8(d) - Health and safety studies: Not listed
	United States - EPA Clean water act (CWA) section 307 - Priority
	pollutants: Listed Nickel antimony yellow rutile (C.I. Pigment
	Yellow 53)
	United States - EPA Clean water act (CWA) section 311 -
	Hazardous substances: Not listed
	United States - EPA Clean air act (CAA) section 112 - Accidental

ne

DKA-PASTEL PEBBLE/C702-20

Version Number 1.14 Revision Date 08/16/2019 Page 15 of 18 Print Date 08/17/2019

release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II		Not listed
Substances	•	1.00 110000
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

Name	%	Classification
Carbon black	>= 0.3 - <= 1	CARCINOGENICITY - Category 2
Decanedioic acid,	>= 1 - <= 3	SERIOUS EYE DAMAGE - Category 1
bis(2,2,6,6-tetramethyl-4-		
piperidinyl) ester		
Silica, amorphous	>= 1 - <= 3	EYE IRRITATION - Category 2B
Nickel antimony yellow	>= 5 - <= 10	CARCINOGENICITY - Category 1A
rutile (C.I. Pigment Yellow		
53)		
Titanium dioxide	>= 10 - <= 25	CARCINOGENICITY - Category 2

SARA 313

	Product name	CAS number	%
Form R - Reporting	C.I. Pigment Black 12	68187-02-0	5 - 10



DKA-PASTEL PEBBLE/C702-20

Version Number 1.14 Revision Date 08/16/2019 Page 16 of 18 Print Date 08/17/2019

requirements				
	Nickel antimony yellow rutile (C.I. Pigment Yellow 53)	8007-18-9	5 - 10	
Supplier notification	Nickel antimony yellow rutile (C.I. Pigment Yellow 53)	8007-18-9	5 - 10	
	C.I. Pigment Black 12	68187-02-0	5 - 10	

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts :	None of the components are listed.
New York :	None of the components are listed.
New Jersey :	The following components are listed: Quartz Carbon black
	Nickel antimony yellow rutile (C.I. Pigment Yellow 53) Calcium carbonate Titanium dioxide
Pennsylvania :	The following components are listed:
	Quartz
	Carbon black
	Silica, amorphous
	C.I. Pigment Black 12
	Nickel antimony yellow rutile (C.I. Pigment Yellow 53)
	Calcium carbonate
	Titanium dioxide

California Prop. 65

WARNING: This product can expose you to chemicals including Titanium dioxide, Nickel antimony yellow rutile (C.I. Pigment Yellow 53), Carbon black, Quartz, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level



DKA-PASTEL PEBBLE/C702-20

Version Number 1.14 Revision Date 08/16/2019

Page 17 of 18 Print Date 08/17/2019

Carbon black	No.	No.
Quartz	No.	No.
Titanium dioxide	No.	No.
Nickel antimony yellow rutile (C.I. Pigment	No.	No.
Yellow 53)		

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.
International regulations		
Inventory list		
Australia Canada	:	All components are listed or exempted. At least one component is not listed in DSL but all such components are listed in NDSL.
China Europe inventory Japan New Zealand Philippines Republic of Korea Taiwan Turkey		All components are listed or exempted. All components are listed or exempted. Not determined. All components are listed or exempted. All components are listed or exempted. All components are listed or exempted. All components are listed or exempted. Not determined.
United States	:	All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

DKA-PASTEL PEBBLE/C702-20

Version Number 1.14 Revision Date 08/16/2019 Page 18 of 18 Print Date 08/17/2019

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Instor y		
Date of printing	:	08/17/2019
Date of issue/Date of revision	:	08/16/2019
Date of previous issue	:	11/27/2018
Version	:	1.14
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.