YELLOW PBT

Version Number 1.4 Revision Date 11/13/2023



Page 1 of 16 Print Date 11/14/2023

SAFETY DATA SHEET

YELLOW PBT

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	: : : : : : : : : : : : : : : : : : : :	YELLOW PBT Mixture Mixture CC10138456 solid
<u>Relevant identified uses of the subs</u> Product use	tance :	or mixture and uses advised against Industrial applications.
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.

YELLOW PBT

Version Number 1.4 Revision Date 11/13/2023

AVIENT

Page 2 of 16 Print Date 11/14/2023

Precautionary statements

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10138456

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	>= 10 - <= 25	13463-67-7
Silica, amorphous	>= 1 - <= 3	7631-86-9
Boric acid (H3BO3)	> 0 - <= 0.3	10043-35-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

YELLOW PBT

Version Number 1.4 Revision Date 11/13/2023



Page 3 of	16
Print Date 11/14/20)23

Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated
Ingestion	:	clothing and shoes. Get medical attention if symptoms occur. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects	s, acute a	nd delayed
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.
See toxicological information (Se	ection 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or CO₂.

YELLOW PBT

Version Number 1.4 Revision Date 11/13/2023

ÀVIENT

Page 4 of 16 Print Date 11/14/2023

Unsuitable extinguishing media	:	None known.
Specific hazards arising from the chemical Hazardous thermal	:	No specific fire or explosion hazard. Decomposition products may include the following materials:
decomposition products	•	carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt aı	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

YELLOW PBT

Version Number 1.4 Revision Date 11/13/2023

ÀVIENT

Page 5 of 16 Print Date 11/14/2023

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (2022-01-06) TWA 0.2 mg/m3 Form: respirable fraction, nanoscale particles TWA 2.5 mg/m3 Form: respirable fraction, finescale particles
Silica, amorphous	NIOSH REL (1994-06-01) TWA 6 mg/m3
Boric acid (H3BO3)	ACGIH TLV (2005-01-01) TWA 2 mg/m3 Form: Inhalable fraction STEL 6 mg/m3 Form: Inhalable fraction

YELLOW PBT

Version Number 1.4 Revision Date 11/13/2023

ÀVIENT

Page 6 of 16 Print Date 11/14/2023

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	YELLOW

YELLOW PBT

Version Number 1.4 Revision Date 11/13/2023

ÀVIENT

Page 7 of 16 Print Date 11/14/2023

Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not applicable.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not applicable.
(flammable) limits		Upper: Not applicable.
Vanan maagama		Not available.
Vapor pressure	:	
Vapor density	:	Not applicable.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	:	Not applicable.
Decomposition tomporature		Not available.
Decomposition temperature SADT		Not available.
Viscosity		Dynamic: Not available.
v iscosity	•	Kinematic: Not applicable.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

YELLOW PBT

Version Number 1.4 Revision Date 11/13/2023



Page 8 of 16 Print Date 11/14/2023

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity				
Product/ingredient name	Result	Species	Dose	Exposure
Titanium oxide (TiO2)				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	Dusts and mists			
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Boric acid		•		÷
	LD50 Oral	Rat	2,500 mg/kg	-

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Silica	Eyes - Mild irritant	Rabbit	-	24 hrs	-
Boric acid	Skin - Mild irritant	Human	-	72 hrs	-

Conclusion/Summary Skin Eyes Respiratory	Mixture.Not fully tested.Mixture.Not fully tested.Mixture.Not fully tested.
<u>Sensitization</u>	
Conclusion/Summary Skin Respiratory	Mixture.Not fully tested.Mixture.Not fully tested.
<u>Mutagenicity</u>	
Conclusion/Summary	: Mixture.Not fully tested.
Carcinogenicity	
Conclusion/Summary	: Mixture.Not fully tested.
Classification	

Product/ingredient name	OSHA	IARC	NTP
Titanium oxide (TiO2)	-	2B	-

YELLOW PBT

Version Number 1.4 Revision Date 11/13/2023

ÀVIENT™

Page 9 of 16 Print Date 11/14/2023

Silica	-	3		-
Reproductive toxicity				
Conclusion/Summary	:	Mixt	ure.Not fully t	ested.
<u>Teratogenicity</u>				
Conclusion/Summary	:	Mixt	ure.Not fully t	ested.
Specific target organ toxicity (s Not available.	ingle exp	<u>osure)</u>		
Specific target organ toxicity (r Not available.	epeated (exposu	<u>:e)</u>	
Aspiration hazard Not available.				
Information on the likely routes exposure	s of :	Not a	vailable.	
Potential acute health effects				
Eye contact Inhalation Skin contact Ingestion	::	No k No k	nown significa nown significa	nt effects or critical hazards. nt effects or critical hazards. nt effects or critical hazards. nt effects or critical hazards.
Symptoms related to the physic	al, chem	ical and	l toxicologica	characteristics
Eye contact Inhalation Skin contact Ingestion	:	No sp No sp	pecific data. pecific data. pecific data. pecific data.	
Delayed and immediate effects	and also	chroni	<u>c effects from</u>	short and long term exposure
Short term exposure				
Potential immediate effects Potential delayed effects	:		vailable. vailable.	
Long term exposure				
Potential immediate effects Potential delayed effects	:		ivailable. ivailable.	
			9/16	

YELLOW PBT

Version Number 1.4 Revision Date 11/13/2023

AVIENT

Page 10 of 16 Print Date 11/14/2023

Potential chronic health effects

Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	: : : : : : : : : : : : : : : : : : : :	No known significant effects or critical hazards. No known significant effects or critical hazards.
Numerical measures of toxicity Acute toxicity estimates N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

Result	Species	Exposure
Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h
Marine water		
Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia	48 h
Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h
water		
Acute LC50 75 Mg/l Marine	Fish - Pagrus major	96 h
water		
Acute LC50 45.5 Mg/l Fresh	Crustaceans - Ceriodaphnia	48 h
water	dubia	
Acute LC50 0.133 Mg/l Fresh	Daphnia - Daphnia magna	48 h
water		
Chronic NOEC 2.1 Mg/l Fresh	Fish - Oncorhynchus mykiss	87 d
water		
	Acute LC50 > 1,000 Mg/l Marine water Acute LC50 3 Mg/l Fresh water Acute LC50 6.5 Mg/l Fresh water Acute LC50 75 Mg/l Marine water Acute LC50 45.5 Mg/l Fresh water Acute LC50 0.133 Mg/l Fresh water Chronic NOEC 2.1 Mg/l Fresh	Acute LC50 > 1,000 Mg/l Fish - Fundulus heteroclitus Marine water Crustaceans - Ceriodaphnia Acute LC50 3 Mg/l Fresh water Crustaceans - Ceriodaphnia Acute LC50 6.5 Mg/l Fresh Daphnia - Daphnia pulex Acute LC50 75 Mg/l Marine Fish - Pagrus major Acute LC50 45.5 Mg/l Fresh Crustaceans - Ceriodaphnia Acute LC50 45.5 Mg/l Fresh Crustaceans - Ceriodaphnia Acute LC50 0.133 Mg/l Fresh Daphnia - Daphnia magna water Daphnia - Daphnia magna Chronic NOEC 2.1 Mg/l Fresh Fish - Oncorhynchus mykiss

YELLOW PBT

Version Number 1.4 Revision Date 11/13/2023

ÀVIENT

Page 11 of 16 Print Date 11/14/2023

	Chronic NOEC 6 Mg/l Fresh water		Daphnia - Daphnia	a magna 21 d
YELLOW PBT	water			
Remarks - Acute - Aquatic invertebrates.:	Chemical	s are not readily availa	ble as they are bound w	vithin the polymer matrix.
Conclusion/Summary	:	Chemicals are not rea polymer matrix.	dily available as they a	are bound within the
Persistence and degradability				
Conclusion/Summary	:	Chemicals are not repolymer matrix.	adily available as they	are bound within the
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.			
Bioaccumulative potential				
Product/ingredient name	L	ogPow	BCF	Potential
Boric acid		1.09	-	low

Mobility in soil

Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods :	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and
--------------------	--

YELLOW PBT

Version Number 1.4 Revision Date 11/13/2023



Page 12 of 16 Print Date 11/14/2023

contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	: Not regulated for transportation.
International Air ICAO/IATA	: Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	: Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
		determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Listed Bismuth vanadium oxide (BiVO4)
		United States - TSCA 8(c) - Significant adverse reaction (SAR):
		Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed
		United States - EPA Clean water act (CWA) section 307 - Priority
		pollutants: Listed Rutile, antimony chromium buff
		12/16

YELLOW PBT

Version Number 1.4 Revision Date 11/13/2023



Page 13 of 16 Print Date 11/14/2023

Phthalocyanine green Acrylonitrile

United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor	:	Not listed
Chemicals) DEA List II Chemicals (Essential	:	Not listed
Chemicals)	•	i tot instea

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

Name	%	Classification
Titanium oxide (TiO2)	>= 10 - <= 25	CARCINOGENICITY - Category 2
Silica	>= 1 - <= 3	EYE IRRITATION - Category 2B
Boric acid	> 0 - <= 0.3	TOXIC TO REPRODUCTION - Category 1B

<u>SARA 313</u>

Form R - Reporting requirements

Product name	CAS number	%
13/16		

YELLOW PBT

Version Number 1.4 Revision Date 11/13/2023

Page 14 of 16 Print Date 11/14/2023

Rutile, antimony chromium buff	68186-90-3	>= 1 - < 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed: Titanium dioxide Silica, amorphous
New York	:	None of the components are listed.
New Jersey	:	The following components are listed: Titanium dioxide Rutile, antimony chromium buff
Pennsylvania	:	The following components are listed: Titanium dioxide
		Rutile, antimony chromium buff
		Silica, amorphous

California Prop. 65

WARNING: This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Inș	gredient name	No significant risk level	Maximum acceptable dosage level
Tit	anium dioxide	-	-

		44/40
Philippines	:	All components are listed or exempted.
New Zealand	:	All components are listed or exempted.
		Japan inventory (ISHL): Not determined.
Japan	:	Japan inventory (CSCL): Not determined.
Eurasian Economic Union	:	Russian Federation inventory: Not determined.
China	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
Australia	:	Not determined.
<u>International regulations</u> nventory list		
	•	An components are instea of exempted.
Canada inventory	:	All components are listed or exempted.
United States inventory (TSCA 8b)	:	All components are active or exempted.

ÄVIENT

YELLOW PBT

Version Number 1.4 Revision Date 11/13/2023



Page 15 of 16 Print Date 11/14/2023

Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Thailand	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.
Viet Nam	:	Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

0
0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Histor		
Date of printing	:	11/14/2023
Date of issue/Date of revision	:	11/13/2023
Date of previous issue	:	10/05/2018
Version	:	1.4
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the

YELLOW PBT

Version Number 1.4 Revision Date 11/13/2023



Page 16 of 16 Print Date 11/14/2023

sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.