FIRE RED 3

Version Number 1.0 Revision Date 02/07/2018

ne

Page 1 of 16 Print Date 04/23/2018

SAFETY DATA SHEET

FIRE RED 3

Section 1. Identification		
GHS product identifier	:	FIRE RED 3
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10277301
Product type	:	solid
Relevant identified uses of the substance or mixture and uses advised againstProduct use:Industrial applications. Plastics.		
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/16

FIRE RED 3

Version Number 1.0 Revision Date 02/07/2018

Page 2 of 16 Print Date 04/23/2018

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10277301

CAS number/other identifiers

Ingredient name	%	CAS number
Caprolactam	1 - 3	105-60-2
-		
Carbon black	0.3 - 1	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.

FIRE RED 3



Version Number 1.0	Page 3 of 16
Revision Date 02/07/2018	Print Date 04/23/2018

		Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable
		for breathing. Get medical attention if symptoms occur. In case of
		inhalation of decomposition products in a fire, symptoms may be
		delayed. The exposed person may need to be kept under medical
		surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated
		clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at
		rest in a position comfortable for breathing. If material has been
		swallowed and the exposed person is conscious, give small quantities
		of water to drink. Do not induce vomiting unless directed to do so by
		medical personnel. Get medical attention if symptoms occur.
		medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects	
Eye contact Inhalation Skin contact Ingestion <u>Over-exposure signs/symptoms</u>	 No known significant effects or critical hazards.
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate medical at	cention and special treatment needed, if necessary
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

FIRE RED 3

Version Number 1.0 Revision Date 02/07/2018



Page 4 of 16 Print Date 04/23/2018

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a

FIRE RED 3

Version Number 1.0 Revision Date 02/07/2018

PolyOne

Page 5 of 16 Print Date 04/23/2018

licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Carbon black	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 3.5 mg/m3
	OSHA PEL (1993-06-30)
	PEL: Permissible Exposure Level 3.5 mg/m3
	NIOSH REL (1994-06-01)
	Time Weighted Average (TWA) 3.5 mg/m3
	Time Weighted Average (TWA)
	ACGIH TLV (2010-12-06)
	TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction

FIRE RED 3

Version Number 1.0 Revision Date 02/07/2018

PolyOne

Page 6 of 16 Print Date 04/23/2018

Caprolactam		OSHA PEL 1989 (1989-03-01)					
Cuprotactant		PEL: Permissible Exposure Level 1 mg/m3 Form: Dust					
		Short-term exposure limit (STEL). A limit value beyond which					
		there should be no exposure and which refers to a period of fifteen					
		minutes, unless otherwise stated. 3 mg/m3 Form: Dust					
		PEL: Permissible Exposure Level 20 mg/m3 5 ppmForm: Vapor					
		Short-term exposure limit (STEL). A limit value beyond which					
		there should be no exposure and which refers to a period of fifteen					
		minutes, unless otherwise stated. 40 mg/m3 10 ppmForm: Vapor					
		NIOSH REL (1994-06-01)					
		Time Weighted Average (TWA) 1 mg/m3 Form: Dust					
		Short-term exposure limit (STEL). A limit value beyond which					
		there should be no exposure and which refers to a period of fifteen					
		minutes, unless otherwise stated. 3 mg/m3 Form: Dust					
		Time Weighted Average (TWA) 1 mg/m3 0.22 ppmForm: Vapor					
		Short-term exposure limit (STEL). A limit value beyond which					
		there should be no exposure and which refers to a period of fifteen					
		minutes, unless otherwise stated. 3 mg/m3 0.66 ppmForm: Vapor					
		ACGIH TLV (2003-01-01)					
		TLV-TWA: Threshold Limit Value - Time weighted average PEL:					
		Permissible Exposure Level 5 mg/m3 Form: Inhalable fraction and					
		vapor					
		vapor					
Annuonuisto onginooning contucla		Good general ventilation should be sufficient to control worker					
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.					
Environmental emegune controls							
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be					
		checked to ensure they comply with the requirements of					
		environmental protection legislation. In some cases, fume scrubbers,					
		filters or engineering modifications to the process equipment will be					
		necessary to reduce emissions to acceptable levels.					
Individual protection measures							
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical					
		products, before eating, smoking and using the lavatory and at the end					
		of the working period. Appropriate techniques should be used to					
		remove potentially contaminated clothing. Wash contaminated					
		clothing before reusing. Ensure that eyewash stations and safety					
		showers are close to the workstation location.					
Eye/face protection	:	Safety eyewear complying with an approved standard should be used					
· -		when a risk assessment indicates this is necessary to avoid exposure to					
		liquid splashes, mists, gases or dusts. If contact is possible, the					
		following protection should be worn, unless the assessment indicates a					
		higher degree of protection: safety glasses with side-shields.					

FIRE RED 3

Version Number 1.0 Revision Date 02/07/2018

PolyOne

Page 7 of 16
Print Date 04/23/2018

Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	solid [Pellets.]
Color	:	RED
Odor	:	Faint odor.
Odor threshold	:	Not available.
pH	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive		Lower: Not available.
Lower and upper explosive	•	
(flammable) limits	•	Upper: Not available.
	:	
(flammable) limits	:	Upper: Not available.
(flammable) limits Vapor pressure	:	Upper: Not available. Not available.
(flammable) limits Vapor pressure Vapor density	:	Upper: Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density	:	Upper: Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility	:	Upper: Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-	:	Upper: Not available. Not available. Not available. Not available. Not available. insoluble in water.

FIRE RED 3

Version Number 1.0 Revision Date 02/07/2018

Page 8 of 16 Print Date 04/23/2018

yOne

SADT	: Not available.	
Viscosity	: Dynamic: Not available.	
-	Kinematic: Not available.	

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure		
Carbon black						
	LD50 Oral	Rat	15,400 mg/kg	-		
Remarks - Inhalation:	No applicable toxi	No applicable toxicity data				
Remarks - Dermal:	No applicable toxi	No applicable toxicity data				
Caprolactam						
	LD50 Oral Rat 1,210 mg/kg -					
Remarks - Inhalation:	No applicable toxicity data					
Remarks - Dermal:	No applicable toxicity data					
Conclusion/Summary	• Mixti	ire Not fully tested				

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Caprolactam	Eyes - Moderate	Rabbit		24 hrs	-
	Widderate				



FIRE RED 3

Version Number 1.0 Revision Date 02/07/2018 Page 9 of 16 Print Date 04/23/2018

	irritant				
	Skin - Mild irritant	Rabbit		24 hrs	-
Conclusion/Summary Skin Eyes Respiratory	 Mixture.Not fully tested. Mixture.Not fully tested. Mixture.Not fully tested. 				
Sensitization					
Conclusion/Summary Skin Respiratory		ixture.Not full ixture.Not full			
Mutagenicity					
Conclusion/Summary	: M	ixture.Not full	y tested.		
Carcinogenicity					
Conclusion/Summary Classification	: M	ixture.Not full	y tested.		
Product/ingredient name	OSHA	IARC	NTP		
Carbon black		2B			
Caprolactam		4			
<u>Reproductive toxicity</u>					
Conclusion/Summary	: M	ixture.Not full	y tested.		
<u>Teratogenicity</u>					
Conclusion/Summary : Mixture.Not fully tested.					
<u>Specific target organ toxicity (single exposure)</u> Not available.					
Specific target organ toxici Not available.	ty (repeated expo	osure)			
Aspiration hazard Not available.					
Information on likely route	s of : N	ot available.			

9/16

<u>PolyOne</u>

FIRE RED 3

Version Number 1.0 Revision Date 02/07/2018 Page 10 of 16 Print Date 04/23/2018

exposure

Potential acute health effects

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.

Long term exposure

Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.

:

Potential chronic health effects

Conclusion/Summary

General	:
Carcinogenicity	:
Mutagenicity	:
Teratogenicity	:
Developmental effects	:
Fertility effects	:

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Mixture.Not fully tested.

No known significant effects or critical hazards. No known significant effects or critical hazards.

FIRE RED 3

Version Number 1.0 Revision Date 02/07/2018 PolyOne.

Page 11 of 16 Print Date 04/23/2018

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure		
Carbon black	Carbon black				
Remarks - Acute - Fish:	No applicable toxicity data				
	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h		
	water	Daphnia			
Remarks - Acute - Aquatic	Acute				
invertebrates.:					
Remarks - Acute - Aquatic	No applicable toxicity data				
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:					
Caprolactam					
Remarks - Acute - Fish:	No applicable toxicity data				
	Acute EC50 2,430 Mg/l Fresh	Aquatic invertebrates.	48 h		
	water	Daphnia			
Remarks - Acute - Aquatic	Acute	Acute			
invertebrates.:					
	Acute EC50 4,550 Mg/l Fresh	Aquatic plants - Algae	72 h		
	water				
Remarks - Acute - Aquatic	Acute				
plants:			•		
	Acute NOEC 1,250 Mg/l Fresh	Aquatic plants - Algae	72 h		
	water				
Remarks - Acute - Aquatic	Chronic				
plants:					
Remarks - Chronic - Fish:	No applicable toxicity data				
Remarks - Chronic -	No applicable toxicity data				
Aquatic invertebrates.:					
FIRE RED 3					
Remarks - Acute - Aquatic	Chemicals are not readily available as they are bound within the polymer matrix.				
invertebrates.:					
Conclusion/Summary	: Chemicals are not readily available as they are bound within the				
	polymer matrix.				
					
Persistence and degradability	<u>v</u>				
Conclusion/Summer and	Chamicala are not read	ly available of they are here	nd within the		
Conclusion/Summary	: Chemicals are not readi	ly available as they are bou	na within the		

FIRE RED 3

<u>PolyOne</u>

Version Number 1.0 Revision Date 02/07/2018 Page 12 of 16 Print Date 04/23/2018

polymer matrix.

Conclusion/Summary : Chemicals are not readily available as they are bound within the polymer matrix.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
2H-Azepin-2-one, hexahydro-	0.12	-	low

Mobility in soil

r	:	Not available.
(KOC) Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air	:	Not classified as dangerous goods under transport regulations.



FIRE RED 3

Version Number 1.0 Revision Date 02/07/2018

Page 13 of 16 Print Date 04/23/2018

ICAO/IATA

International Water : Not classified as dangerous goods under transport regulations. IMO/IMDG

Section 15. Regulatory information

U.S. Federal regulations

:	United States - TSCA 12(b) - Chemical export notification: None
	of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not
	listed
	United States - TSCA 5(a)2 - Proposed significant new use rules:
	Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
	determined
	United States - TSCA 8(a) - Preliminary assessment report
	(PAIR): Listed Bismuth vanadium oxide (BiVO4)
	United States - TSCA 8(c) - Significant adverse reaction (SAR):
	Not listed
	United States - TSCA 8(d) - Health and safety studies: Not listed
	United States - EPA Clean water act (CWA) section 307 - Priority
	pollutants: Listed Phosphoric acid, zinc salt (2:3)
	Zinc stearate
	Zinc oxide
	United States - EPA Clean water act (CWA) section 311 -
	Hazardous substances: Not listed
	United States - EPA Clean air act (CAA) section 112 - Accidental
	release prevention - Flammable substances: Not listed
	United States - EPA Clean air act (CAA) section 112 - Accidental
	release prevention - Toxic substances: Not listed
	United States - Department of commerce - Precursor chemical:
	Not listed

FIRE RED 3

Version Number 1.0 Revision Date 02/07/2018

ŀ	bly	<i>PO</i>	ne.

Page 14 of 16 Print Date 04/23/2018

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I	:	Not listed
Substances		NT - 11 - 1
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor	•	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

Name	%	Classification
Carbon black	0.3 - 1	СН
Caprolactam	1 - 3	АН

SARA 313

	Product name	CAS number	%
Form R - Reporting	Bismuth vanadium oxide	14059-33-7	1 - 3
requirements	(BiVO4)		
Supplier notification	Bismuth vanadium oxide	14059-33-7	1 - 3
	(BiVO4)		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: None of the components are listed.
New York	: The following components are listed: Caprolactam
New Jersey	: The following components are listed: Caprolactam Carbon black
	44/40

FIRE RED 3

FIRE RED 3				
Version Number 1.0 Revision Date 02/07/2018			Page 15 of 16 Print Date 04/23/2018	
Pennsylvania	:	The following components are listed: Carbon black		
		Caprolactam		
<u>California Prop. 65</u> WARNING: This product contains a chemical known to the State of California to cause cancer.				
United States inventory (TSCA 8b)	:	All components are listed or exempted.		
Canada inventory	:	Not determined.		
International regulations				
<u>Inventory list</u>				
Australia	:	Not determined.		
Canada	:	Not determined.		
China	:	Not determined.		
Europe inventory	:	Not determined.		
Japan	:	Not determined.		
New Zealand	:	Not determined.		
Philippines	:	Not determined.		
Republic of Korea Taiwan	:	Not determined. Not determined.		
	1	Not determined.		
Turkey United States		All components are listed or exempted.		
United States	•	An components are fisted of exempted.		

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

FIRE RED 3

Version Number 1.0 Revision Date 02/07/2018

<u>PolyOne</u>

Page 16 of 16 Print Date 04/23/2018

<u>History</u>		
Date of printing	:	04/23/2018
Date of issue/Date of revision	:	02/07/2018
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.