R52 COYOTE BROWN -01

Version Number 1.0 Revision Date 10/02/2018 Page 1 of 16 Print Date 10/03/2018

SAFETY DATA SHEET

R52 COYOTE BROWN -01

Section 1. Identification	n	
GHS product identifier	:	R52 COYOTE BROWN -01
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10291527
Product type	:	solid
Relevant identified uses of the subst	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.

GHS label elements

R52 COYOTE BROWN -01

Version Number 1.0 Revision Date 10/02/2018 Page 2 of 16 Print Date 10/03/2018

Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.
Precautionary statements		
General	:	Not applicable.
Prevention	:	Not applicable.
Response		Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10291527

CAS number/other identifiers

Ingredient name	%	CAS number
Stannane, methyltris(2-ethylhexyloxycarbonylmethylthio)-	1 - 3	57583-34-3
Carbon black	0.3 - 1	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures



R52 COYOTE BROWN -01

Version Number 1.0	Page 3 of 16
Revision Date 10/02/2018	Print Date 10/03/2018

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical at	tentic	on and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)



R52 COYOTE BROWN -01

Version Number 1.0 Revision Date 10/02/2018

Page 4 of 16 Print Date 10/03/2018

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters Special protective equipment for	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self-
fire-fighters		contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

PolyOne

licensed waste disposal contractor. Note: see Section 1 for emergency

contact information and Section 13 for waste disposal.

R52 COYOTE BROWN -01

Version Number 1.0	Page 5 of 16
Revision Date 10/02/2018	Print Date 10/03/2018
Small spill :	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a
Longe mill	licensed waste disposal contractor.
Large spill :	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3



R52 COYOTE BROWN -01

Version Number 1.0 Revision Date 10/02/2018

		TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06)
		TWA 3 mg/m3 Form: Inhalable fraction
Stannane, methyltris(2- ethylhexyloxycarbonylmethylthio)-		OSHA PEL (1993-06-30) TWA 0.1 mg/m3 (as Sn) NIOSH REL (1994-06-01) Absorbed through skin. TWA 0.1 mg/m3 (as Sn) OSHA PEL 1989 (1989-03-01) Absorbed through skin. TWA 0.1 mg/m3 (as Sn) Form: Organic. ACGIH TLV (1996-05-18) Absorbed through skin. TWA 0.1 mg/m3 (as Sn) ACGIH TLV (1994-09-01) Absorbed through skin. STEL 0.2 mg/m3 (as Sn)
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Ungiono moogunog		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
		products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the
Eye/face protection		products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products
Eye/face protection Skin protection		products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Chemical-resistant, impervious gloves complying with an approved

R52 COYOTE BROWN -01

Version Number 1.0 Revision Date 10/02/2018 Page 7 of 16 Print Date 10/03/2018

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

:

Appearance

Physical state	:	solid [Pellets.]
Color	:	BROWN
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
Lower and apper explosive	•	
(flammable) limits	•	Upper: Not available.
	:	
(flammable) limits		Upper: Not available.
(flammable) limits Vapor pressure		Upper: Not available. Not available.
(flammable) limits Vapor pressure Vapor density		Upper: Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density		Upper: Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility		Upper: Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water		Upper: Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n-		Upper: Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water	: : : : : : : : : : : : : : : : : : : :	Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature	: : : : : : : : : : : : : : : : : : : :	Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.
(flammable) limits Vapor pressure Vapor density Relative density Solubility Solubility in water Partition coefficient: n- octanol/water Auto-ignition temperature Decomposition temperature		Upper: Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.

isinchiatic. Not avail

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.			
Chemical stability	: Stable under recommended storage and handling conditions (see			
7/40				



R52 COYOTE BROWN -01

Version Number 1.0 Revision Date 10/02/2018 Page 8 of 16 Print Date 10/03/2018

Possibility of hazardous reactions	:	Section 7). Under normal conditions of storage and use, hazardous reactions will
		not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-
Remarks - Inhalation:	No applicable	toxicity data		
Remarks - Dermal:	No applicable	toxicity data		
Stannane, methyltris(2-ethylheit	xyloxycarbony	lmethylthio)-		
	LD50 Oral	Rat	920 mg/kg	-
Remarks - Inhalation:	No applicable	toxicity data		
Remarks - Dermal:	No applicable	toxicity data		
Conclusion/Summary	: N	/lixture.Not fully tested.		
Conclusion/Summary Skin Eyes Respiratory	: N	Лixture.Not fully tested. Лixture.Not fully tested. Лixture.Not fully tested.		
<u>Sensitization</u> Conclusion/Summary Skin Respiratory		/ixture.Not fully tested. /ixture.Not fully tested.		
Respiratory Mutagenicity	: N	Aixture.Not fully tested.		

P<u>olyOne</u>

R52 COYOTE BROWN -01

Version Number 1.0 Revision Date 10/02/2018 Page 9 of 16 Print Date 10/03/2018

Conclusion/Summary	:	Mixture.Not ful	lly tested.	
Carcinogenicity				
Conclusion/Summary <u>Classification</u>	:	Mixture.Not ful	lly tested.	
Product/ingredient name	OSHA	IARC	NTP	
Carbon black		2B		
<u>Reproductive toxicity</u>				
Conclusion/Summary	:	Mixture.Not ful	lly tested.	
<u>Teratogenicity</u>				
Conclusion/Summary	:	Mixture.Not ful	lly tested.	
Specific target organ toxicity Not available.	<u>y (single exp</u>	osure)		
Specific target organ toxicity Not available.	<u>(repeated e</u>	<u>xposure)</u>		
Aspiration hazard Not available.				
Information on likely routes exposure	of :	Not available.		
Potential acute health effects				
Eye contact Inhalation Skin contact Ingestion	:	No known signi No known signi	ificant effects or critical hazards. ificant effects or critical hazards. ificant effects or critical hazards. ificant effects or critical hazards.	
Symptoms related to the phys	sical, chemic	al and toxicolog	<u>tical characteristics</u>	
Eye contact	:	No specific data	ì.	
Inhalation	:	No specific data		
Skin contact	:	No specific data		
Ingestion	:	No specific data	1.	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

PolyOne

R52 COYOTE BROWN -01

Version Number 1.0 Revision Date 10/02/2018 Page 10 of 16 Print Date 10/03/2018

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Carbon black			
Remarks - Acute - Fish:	No applicable toxicity data		
	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
Remarks - Acute - Aquatic	No applicable toxicity data		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		



R52 COYOTE BROWN -01

Version Number 1.0 Revision Date 10/02/2018 Page 11 of 16 Print Date 10/03/2018

Remarks - Chronic -	No applicable toxicity data
Aquatic invertebrates.:	
Stannane, methyltris(2-ethylhex	
Remarks - Acute - Fish:	No applicable toxicity data
Remarks - Acute - Aquatic	No applicable toxicity data
invertebrates.:	
Remarks - Acute - Aquatic	No applicable toxicity data
plants:	
Remarks - Chronic - Fish:	No applicable toxicity data
Remarks - Chronic -	No applicable toxicity data
Aquatic invertebrates.:	
R52 COYOTE BROWN -01	
Remarks - Acute - Aquatic	Chemicals are not readily available as they are bound within the polymer matrix.
invertebrates.:	
Conclusion/Summary	: Chemicals are not readily available as they are bound within the
·	polymer matrix.
Persistence and degradability	
Conclusion/Summary	: Chemicals are not readily available as they are bound within the
	polymer matrix.
Conclusion/Summary	: Chemicals are not readily available as they are bound within the
	polymer matrix.
Bioaccumulative potential	
Not available.	
Mabilitaria anil	
<u>Mobility in soil</u>	
Soil/water nortition coefficient	nt : Not available.
Soil/water partition coefficient (KOC)	it : Not available.
(KOC) Other adverse effects	No known significant affacts or critical hazarda
Other adverse effects	: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be

Une

R52 COYOTE BROWN -01

Version Number 1.0 Revision Date 10/02/2018 Page 12 of 16 Print Date 10/03/2018

disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

Section 15. Regulatory information

<u>vOne</u>

R52 COYOTE BROWN -01

Version Number 1.0	Page 13 of 16
Revision Date 10/02/2018	Print Date 10/03/2018

		United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Cyclohexene, 4-ethenyl- Tert-Butanol
		United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Vinyl chloride monomer Rutile, antimony chromium buff
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed

DEA List I Chemicals (Precursor: Not listedChemicals): Not listedDEA List II Chemicals (Essential: Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Chemicals)

Classification

Not applicable.

:

Composition/information on ingredients

Name	%	Classification
Carbon black	0.3 - 1	СН
Stannane, methyltris(2-	1 - 3	AH
ethylhexyloxycarbonylmethylthio)		



R52 COYOTE BROWN -01

Version Number 1.0 Revision Date 10/02/2018 Page 14 of 16 Print Date 10/03/2018

-

SARA 313

	Product name	CAS number	%
Form R - Reporting	Rutile, antimony chromium	68186-90-3	5 - 10
requirements	buff		
Supplier notification	Rutile, antimony chromium	68186-90-3	5 - 10
	buff		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: The following components are listed: Carbon black Rutile, antimony chromium buff Ethene, chloro-, homopolymer
Pennsylvania	: The following components are listed: Carbon black

Rutile, antimony chromium buff

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
Inventory list		
Australia	:	Not determined.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	Not determined.
Turkey	:	Not determined.
		11/10

14/16

R52 COYOTE BROWN -01

Version Number 1.0 Revision Date 10/02/2018 Page 15 of 16 Print Date 10/03/2018

United States

All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

History		
Date of printing	:	10/03/2018
Date of issue/Date of revision	:	10/02/2018
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that

P<u>olyOne</u>

R52 COYOTE BROWN -01

Version Number 1.0 Revision Date 10/02/2018 Page 16 of 16 Print Date 10/03/2018

exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.