DORADO R. HDPE

Version Number 1.0 Revision Date 02/20/2025



Page 1 of 18 Print Date 04/11/2025

SAFETY DATA SHEET

DORADO R. HDPE

Section 1. Identificatio	n	
GHS product identifier Chemical name CAS number Other means of identification Product type	:	DORADO R. HDPE Mixture Mixture CC10315177 liquid
<u>Relevant identified uses of the subst</u> Product use	ance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION ColorMatrix Group Inc. 680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA
		+1 216 622 0100
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	ACUTE TOXICITY (oral) - Category 4 SKIN IRRITATION - Category 2
		Percentage of the mixture consisting of ingredient(s) of unknown acute oral toxicity: 12.1 % Percentage of the mixture consisting of ingredient(s) of unknown acute dermal toxicity: 41.3 % Percentage of the mixture consisting of ingredient(s) of unknown

DORADO R. HDPE

Version Number 1.0 Revision Date 02/20/2025

ÀVIENT

Page 2 of 18 Print Date 04/11/2025

		acute inhalation toxicity: 41.3 %
GHS label elements		
Hazard pictograms	:	
Signal word Hazard statements	:	Warning Harmful if swallowed. Causes skin irritation.
Precautionary statements		
Prevention	:	Not applicable. Wear protective gloves. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.
Response	:	IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10315177

CAS number/other identifiers

Ingredient name	%	CAS number
Copper	>= 25 - <= 50	7440-50-8
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	>= 25 - < 30	Not available.

XAVIENT

SAFETY DATA SHEET

DORADO R. HDPE

Version Number 1.0 Revision Date 02/20/2025 Page 3 of 18 Print Date 04/11/2025

Titanium dioxide	>= 1 - <= 3	13463-67-7
Carbon black	> 0 - <= 0.3	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

DORADO R. HDPE

Potential acute health effects

Version Number 1.0 Revision Date 02/20/2025

ÀVIENT

Page 4 of 18 Print Date 04/11/2025

Eye contact Inhalation Skin contact Ingestion <u>Over-exposure signs/symptoms</u>	::	No known significant effects or critical hazards. No known significant effects or critical hazards. Causes skin irritation. Harmful if swallowed.
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	:	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation redness
Ingestion	:	No specific data.
Indication of immediate medical atte	ntio	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO ₂ . None known.
Specific hazards arising from the chemical	:	In a fire or if heated, a pressure increase will occur and the container may burst. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: metal oxide/oxides
Special protective actions for fire-	:	Promptly isolate the scene by removing all persons from the vicinity

DORADO R. HDPE

Version Number 1.0 Revision Date 02/20/2025

ÀVIENT

Page 5 of 18 Print Date 04/11/2025

fighters		of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Methods and materials for containme	ent a	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

DORADO R. HDPE

Version Number 1.0 Revision Date 02/20/2025

ÀVIENT

Page 6 of 18 Print Date 04/11/2025

Precautions for safe handling		
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Copper	NIOSH REL (1994-06-01)TWA 1 mg/m3 (as Cu) Form: Dusts and mistsOSHA PEL (1993-06-30)TWA 0.1 mg/m3 Form: FumeTWA 1 mg/m3 Form: Dusts and mistsOSHA PEL 1989 (1989-03-01)TWA 0.1 mg/m3 (as Cu) Form: FumeTWA 1 mg/m3 (as Cu) Form: Dusts and mistsACGIH TLV (1994-09-01)TWA 0.2 mg/m3 Form: Fume
Miscellaneous Compounds Distillates, petroleum, hydrotreated middle	None.

DORADO R. HDPE

Version Number 1.0 Revision Date 02/20/2025

ÄVIENT

Page 7 of 18 Print Date 04/11/2025

Titanium dioxide		OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (2022-01-06) TWA 0.2 mg/m3 Form: respirable fraction, nanoscale particles TWA 2.5 mg/m3 Form: respirable fraction, finescale particles
Carbon black		OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be

Individual protection measures

Hygiene measures Eye/face protection	 Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. 		
Skin protection			
Hand protection	: Chemical-resistant, impervious gloves complying with an approved		
7/18			

necessary to reduce emissions to acceptable levels.

DORADO R. HDPE

Version Number 1.0 Revision Date 02/20/2025

ÀVIENT

Page 8 of 18	
Print Date 04/11/2025	

	standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	liquid [liquid]
Color	:	GOLD
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.

DORADO R. HDPE

Version Number 1.0 Revision Date 02/20/2025

ÀVIENT

Page 9 of 18 Print Date 04/11/2025

Auto-ignition temperature Decomposition temperature SADT Viscosity	:	Not available. Not available. Not available. Dynamic: Not available. Kinematic: Not available.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time equivalent	:	Not available.
Enclosed space ignition -	:	Not available.
Deflagration density		Net ereileble
Flame height Flame duration		Not available. Not available.
rianic uuration	•	ivot available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity **Product/ingredient name** Result Species Dose Exposure Copper LD50 Oral 482 mg/kg Rat -Titanium oxide (TiO2) LC50 Inhalation Rat - Male 6.82 Mg/l 4 h Dusts and mists LD50 Dermal Rabbit > 5,000 mg/kg -Carbon black

DORADO R. HDPE

Version Number 1.0 Revision Date 02/20/2025

ÀVIENT

Page 10 of 18 Print Date 04/11/2025

	LD50 Oral	Rat	15,400 mg/kg	-
Conclusion/Summary	: Mixtu	ure.Not fully tested.		
Irritation/Corrosion				
Conclusion/Summary				
Skin	: Mixt	ure.Not fully tested.		
Eyes		ure.Not fully tested.		
Respiratory	: Mixt	ure.Not fully tested.		
Sensitization				
Conclusion/Summary				
Skin	: Mixt	ure.Not fully tested.		
Respiratory	: Mixt	ure.Not fully tested.		
Mutagenicity				
Conclusion/Summary	: Mixt	ure.Not fully tested.		
Carcinogenicity				
Conclusion/Summary	: Mixt	ure.Not fully tested.		
Classification				

<u>Classification</u>

Product/ingredient name	OSHA	IARC	NTP
Titanium oxide (TiO2)	-	2B	-
Carbon black	-	2B	-

Reproductive toxicity

Teratogenicity

Conclusion/Summary

: Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure) Not available.

Aspiration hazard

DORADO R. HDPE

Version Number 1.0 Revision Date 02/20/2025

ÄVIENT

Page 11 of 18 Print Date 04/11/2025

Name			Result		
Miscellaneous Compounds Distillates, petroleum,			ASPIRATION HAZARD - Category 1		
hydrotreated middle					
Information on the likely routes of exposure	: Not available.				
Potential acute health effects					
Eye contact	:	No known sig	gnificant effects or critical hazards.		
Inhalation	:		gnificant effects or critical hazards.		
Skin contact	:	Causes skin i	rritation.		
Ingestion	:	Harmful if sw	vallowed.		
Symptoms related to the physical, ch	hemi	ical and toxicol	logical characteristics		
Eye contact	:	Adverse symp watering, redu	ptoms may include the following: pain or irritation,		
Inhalation	:	No specific da			
Skin contact	:	-	ptoms may include the following: irritation, redness		
Ingestion	-	No specific da			
Delayed and immediate effects and a					
<u>Short term exposure</u> Potential immediate effects Potential delayed effects	:	Not available Not available			
Long term exposure					
Potential immediate effects	:	Not available.			
Potential delayed effects	:	Not available.			
Potential chronic health effects					
Conclusion/Summary	:	Mixture.Not fully tested.			
General	:	No known sig	gnificant effects or critical hazards.		
Carcinogenicity	:		gnificant effects or critical hazards.		
Mutagenicity	:		gnificant effects or critical hazards.		
Teratogenicity	:		gnificant effects or critical hazards.		
Developmental effects	:	No known significant effects or critical hazards.			
Fertility effects	:	No known significant effects or critical hazards.			
Numerical measures of toxicity					
in the set of the set					

DORADO R. HDPE

Version Number 1.0 Revision Date 02/20/2025

AVIENT

Page 12 of 18 Print Date 04/11/2025

Acute toxicity estimates

Other information

: This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Copper			
	Acute LC50 0.00756 Mg/l	Fish - Periophthalmus waltoni	96 h
	Marine water		
	Acute EC50 0.0021 Mg/l Fresh	Daphnia - Daphnia longispina	48 h
	water		
	Acute LC50 0.000072 Mg/l	Crustaceans - Amphipoda	48 h
	Marine water		
	Acute EC50 1.1 Mg/l Fresh	Aquatic plants - Lemna minor	96 h
	water		
	Acute IC50 0.016 Mg/l Fresh	Algae - Chlorella pyrenoidosa	72 h
	water		
	Acute IC50 5.4 Mg/l Marine	Aquatic plants - Plantae	72 h
	water		
	Chronic NOEC 0.0025 Mg/l	Algae - Nitzschia closterium	72 h
	Marine water		
	Chronic NOEC 7 Mg/l Fresh	Aquatic plants -	72 h
	water	Ceratophyllum demersum	
	Chronic NOEC 0.0008 Mg/l	Fish - Oreochromis niloticus	42 d
	Fresh water		
	Chronic NOEC 0.02 Mg/l Fresh	Crustaceans - Cambarus	21 d
	water	bartonii	
	Chronic NOEC 0.002 Mg/l Fresh	Daphnia - Daphnia magna	21 d
	water		
Titanium oxide (TiO2)		·	•
	Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h
	Marine water		
	Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia	48 h
	_	dubia	
	Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h
	water		
	12/18	•	

DORADO R. HDPE

Version Number 1.0 Revision Date 02/20/2025

Page 13 of 18 Print Date 04/11/2025

Carbon black				
	Acute EC50	37.563 Mg/l Fresh	Daphnia - Daphnia magna	48 h
	water	0.		
DORADO R. HDPE			·	
Remarks - Acute - Aquatic invertebrates.:	Dangerous fo environment.	r the environment: M	lay cause long term adverse effect	ts in the aquatic
Conclusion/Summary	Conclusion/Summary : Dangerous for the environment: May cause long term adverse effect the aquatic environment.			
Persistence and degradability				
Conclusion/Summary	: N	lot available.		
Conclusion/Summary		angerous for the envi the aquatic environ	ronment: May cause long term ac nent.	lverse effects
<u>Bioaccumulative potential</u> Not available.				
Mobility in soil				
Soil/water partition coefficier (KOC)	t : N	ot available.		
Other adverse effects	: N	o known significant	effects or critical hazards.	
Section 13. Disposa	l conside	erations		
Disposal methods	po sh pi au pi di re sh	ossible. Disposal of the rould at all times con- cotection and waste d athority requirements coducts via a licensed isposed of untreated to equirements of all aut- nould be recycled. Inc.	e should be avoided or minimized his product, solutions and any by- aply with the requirements of env- isposal legislation and any region . Dispose of surplus and non-recy waste disposal contractor. Waster to the sewer unless fully compliant horities with jurisdiction. Waster cineration or landfill should only easible. This material and its con	products ironmental al local cclable should not be t with the backaging be considered

disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains

ÄVIENT

DORADO R. HDPE

Version Number 1.0 Revision Date 02/20/2025



Page 14 of 18 Print Date 04/11/2025

and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	: Not regulated for transportation.
International Air ICAO/IATA	: Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	: Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None
	of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not listed
	United States - TSCA 5(a)2 - Proposed significant new use rules:
	Not listed
	United States - TSCA 5(e) - Substances consent order: Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
	United States - TSCA 8(a) - Preliminary assessment report
	(PAIR): Not listed
	United States - TSCA 8(c) - Significant adverse reaction (SAR):
	Not listed
	United States - TSCA 8(d) - Health and safety studies: Not listed
	United States - EPA Clean water act (CWA) section 307 - Priority
	pollutants: Listed Zinc
	Copper
	14/18

DORADO R. HDPE

Version Number 1.0 Revision Date 02/20/2025

ÀVIENT

Page 15 of 18 Print Date 04/11/2025

United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed

Clean Air Act Section 112(b)	:	Not listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	
Chemicals)		
DEA List II Chemicals (Essential	:	
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

Chemical Name	CAS-No.	RQ for component	
Zinc	7440-66-6	1,000 lb(s)	
		454 kg	
Copper	7440-50-8	5,000 lb(s)	
		2,270 kg	

SARA 311/312

Classification

ACUTE TOXICITY - oral - Category 4 SKIN IRRITATION - Category 2

Composition/information on ingredients

Name	%	Classification
Carbon black	> 0 - <= 0.3	CARCINOGENICITY - Category 2
Copper	>= 25 - <= 50	ACUTE TOXICITY - oral - Category 4
Copper	/= 25 - <= 50	ACOLL TOMETT - oral - Category -
Titanium oxide (TiO2)	>= 1 - <= 3	CARCINOGENICITY - Category 2
Miscellaneous Compounds	>= 25 - < 30	ACUTE TOXICITY - inhalation - Category 4
Distillates, petroleum,		SKIN IRRITATION - Category 2

DORADO R. HDPE

Version Number 1.0 Revision Date 02/20/2025

AVIENT

Page 16 of 18 Print Date 04/11/2025

hydrotreated middle	ASPIRATION HAZARD - Category 1

<u>SARA 313</u>

Form R - Reporting requirements

Product name	CAS number	%
Zinc	7440-66-6	>= 5 - <= 10
Copper	7440-50-8	>= 25 - <= 50

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: None of the components are listed.
New York	: The following components are listed: Zinc Copper
New Jersey	: The following components are listed: Mica Carbon black Titanium dioxide Zinc Copper
Pennsylvania	: The following components are listed: Carbon black
	Mica
	Titanium dioxide
	Zinc
	Copper

California Prop. 65

WARNING: This product can expose you to chemicals including Carbon black, Titanium dioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

In	gredient name	No significant risk level	Maximum acceptable dosage level

DORADO R. HDPE

 AVIENT

Version Number 1.0 Revision Date 02/20/2025 Page 17 of 18 Print Date 04/11/2025

Carbon black	_	-
Titanium dioxide	-	-

:	All components are active or exempted.
:	All components are listed or exempted.
:	
:	All components are listed or exempted.
:	All components are listed or exempted.
:	
:	
	Japan inventory (ISHL): Not determined.
:	All components are listed or exempted.
:	All components are listed or exempted.
:	All components are listed or exempted.
:	Not determined.
:	Not determined.
:	Not determined.
:	All components are active or exempted.
:	Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing	:	04/11/2025
Date of issue/Date of revision	:	02/20/2025
Date of previous issue	:	00/00/0000

DORADO R. HDPE

Version Number 1.0 Revision Date 02/20/2025

ÀVIENT

Page 18 of 18 Print Date 04/11/2025

Version	:	1.0
Version Key to abbreviations	:	 1.0 ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient
References	:	MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.