#### **19WA ONYX BDT6500**

Version Number 1.0 Revision Date 05/28/2025



Page 1 of 17 Print Date 05/30/2025

# SAFETY DATA SHEET

#### **19WA ONYX BDT6500**

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	: : : : :	19WA ONYX BDT6500 Mixture Mixture CC10359159 solid
<u>Relevant identified uses of the subs</u> Product use	tance :	e or mixture and uses advised against Industrial applications.
Supplier's details	:	<b>AVIENT CORPORATION</b> 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.

#### 19WA ONYX BDT6500

Version Number 1.0 Revision Date 05/28/2025

# AVIENT

Page 2 of 17 Print Date 05/30/2025

#### **Precautionary statements**

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

# Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10359159

#### CAS number/other identifiers

Ingredient name	%	CAS number
2-Propenenitrile, polymer with Ethenylbenzene	>= 50 - <= 75	9003-54-7
Carbon black	>= 5 - <= 10	1333-86-4
Titanium dioxide	>= 3 - <= 5	13463-67-7
Styrene	> 0 - <= 0.3	100-42-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

:


## Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact

Immediately flush eyes with plenty of water, occasionally lifting the

# 19WA ONYX BDT6500



# **ÀVIENT**

sion Number 1.0	Page 3 of 17
vision Date 05/28/2025	Print Date 05/30/2025

Inhalation	:	upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical
Skin contact	:	surveillance for 48 hours. Flush contaminated skin with plenty of water. Remove contaminated
Ingestion	:	clothing and shoes. Get medical attention if symptoms occur. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects,	acute a	and delayed
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical a	attentio	on and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.
See toxicological information (Sec	tion 11	)

# Section 5. Fire-fighting measures

#### **Extinguishing media**

## **19WA ONYX BDT6500**

Version Number 1.0 Revision Date 05/28/2025



Page 4 of 17 Print Date 05/30/2025

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO <sub>2</sub> . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency
		414 <del>-</del> 7

#### **19WA ONYX BDT6500**

Version Number 1.0 Revision Date 05/28/2025

# AVIENT

Page 5 of 17 Print Date 05/30/2025

contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits	
2-Propenenitrile, polymer with Ethenylbenzene	None.	
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m <sup>3</sup> ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction	
Titanium dioxide	<b>OSHA PEL 1989 (1989-03-01)</b> TWA 10 mg/m3 Form: Total dust	
5/17		

#### **19WA ONYX BDT6500**

Version Number 1.0 Revision Date 05/28/2025

# **ÀVIENT**

#### Page 6 of 17 Print Date 05/30/2025

	OSHA PEL (1993-06-30)
	TWA 15 mg/m3 Form: Total dust
	ACGIH TLV (2022-01-06)
	TWA 0.2 mg/m3 Form: respirable fraction, nanoscale particles
	TWA 2.5 mg/m3 Form: respirable fraction, finescale particles
Strmono	ACCILLTEN (2020 02 01) Otstorisont
Styrene	ACGIH TLV (2020-03-01) Ototoxicant
	TWA 10 ppm
	STEL 20 ppm
	NIOSH REL (1994-06-01)
	TWA 215 mg/m3 50 ppm
	STEL 425 mg/m3 100 ppm
	OSHA PEL 1989 (1989-03-01)
	TWA 215 mg/m3 50 ppm
	STEL 425 mg/m3 100 ppm
	OSHA PEL Z2 (1993-06-30)
	TWA 100 ppm
	CEIL 200 ppm
	AMP 600 ppm
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker
	exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be
	checked to ensure they comply with the requirements of
	environmental protection legislation. In some cases, fume scrubbers,
	filters or engineering modifications to the process equipment will be
	necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical
	products, before eating, smoking and using the lavatory and at the end
	of the working period. Appropriate techniques should be used to
	remove potentially contaminated clothing. Wash contaminated
	clothing before reusing. Ensure that eyewash stations and safety
	showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used
	when a risk assessment indicates this is necessary to avoid exposure to
	liquid splashes, mists, gases or dusts. If contact is possible, the
	following protection should be worn, unless the assessment indicates a
	higher degree of protection: safety glasses with side-shields.
Skin protection	
<u>okin protection</u>	

#### **19WA ONYX BDT6500**

Version Number 1.0 Revision Date 05/28/2025



Page 7 of 17
Print Date 05/30/2025

Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### Appearance

Physical state Color Odor Odor threshold pH Melting point Boiling point Flash point		solid [Pellets.] BLACK Faint odor. Not available. Not available. Not available. Not available. Not applicable.
Burning time Burning rate Evaporation rate Flammability (solid, gas) Lower and upper explosive (flammable) limits	::	Not available. Not available. Not available. Not available. <b>Lower:</b> Not applicable. <b>Upper:</b> Not applicable.
Vapor pressure Vapor density Relative density Solubility Solubility in water	::	Not available. Not applicable. Not available. Not available. insoluble in water.
Partition coefficient: n- octanol/water	:	Not applicable.

## **19WA ONYX BDT6500**

Version Number 1.0 Revision Date 05/28/2025

# **ÀVIENT**

Page 8 of 17 Print Date 05/30/2025

Auto-ignition temperature	: Not a	pplicable.
Decomposition temperature SADT Viscosity	Not a Dyna	wailable. wailable. <b>mic:</b> Not available. <b>matic:</b> Not applicable.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

#### Information on toxicological effects

Acute toxicity					
Product/ingredient name	Result	esult Species		Exposure	
2-Propenenitrile, polymer with ethenylbenzene					
	LD50 Oral	Rat	1,800 mg/kg	-	
Carbon black					
	LD50 Oral	Rat	15,400 mg/kg	-	
Titanium oxide (TiO2)					
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h	
	Dusts and mists				
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-	
Styrene					
	LD50 Oral	Rat	2,650 mg/kg	-	
	LC50 Inhalation	Rat	2,770 ppm	4 h	
	Gas.				
	LC50 Inhalation	Rat	11.8 Mg/l	4 h	
	Vapor				

#### **19WA ONYX BDT6500**

Version Number 1.0 Revision Date 05/28/2025



Page 9 of 17 Print Date 05/30/2025

**Conclusion/Summary** 

: Mixture.Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Styrene	Eyes - Mild irritant	Human	-		-
	Skin - Mild irritant	Rabbit	-		-
	Skin - Moderate irritant	Rabbit	-		-
	Eyes - Severe irritant	Rabbit	-		-
	Eyes - Moderate	Rabbit	-	24 hrs	-
	irritant				

Conclusion/Summary Skin Eyes Respiratory	<ul><li>Mixture.Not fully tested.</li><li>Mixture.Not fully tested.</li><li>Mixture.Not fully tested.</li></ul>
<b>Sensitization</b>	
Conclusion/Summary Skin Respiratory	<ul><li>Mixture.Not fully tested.</li><li>Mixture.Not fully tested.</li></ul>
<u>Mutagenicity</u>	
Conclusion/Summary	: Mixture.Not fully tested.
<b>Carcinogenicity</b>	
Conclusion/Summary	: Mixture.Not fully tested.

#### **Classification**

Product/ingredient name	OSHA	IARC	NTP
2-Propenenitrile, polymer	-	3	-
with ethenylbenzene			
Carbon black	-	2B	-
Titanium oxide (TiO2)	-	2B	-
Styrene	-	2B	Reasonably anticipated to be a human carcinogen.

#### **Reproductive toxicity**

Conclusion/Summary :	Mixture.Not	fully tested.
----------------------	-------------	---------------

#### **Teratogenicity**

### 19WA ONYX BDT6500

Version Number 1.0 Revision Date 05/28/2025



Page 10 of 17 Print Date 05/30/2025

Conclusion/Summary	:	Mixture.Not fully tested.		
Specific target organ toxicity (single Not available.	exp	<u>osure)</u>		
Specific target organ toxicity (repea Not available.	<u>ted e</u>	exposure)		
<u>Aspiration hazard</u> Not available.				
Information on the likely routes of exposure	:	Not available.		
Potential acute health effects				
Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.		
Symptoms related to the physical, chemical and toxicological characteristics				
Eye contact Inhalation Skin contact Ingestion Delayed and immediate effects and a	: : : also (	No specific data. No specific data. No specific data. No specific data. <b>chronic effects from short and long term exposure</b>		
Short term exposure				
Potential immediate effects Potential delayed effects	:	Not available. Not available.		
Long term exposure				
Potential immediate effects Potential delayed effects	:	Not available. Not available.		
Potential chronic health effects				
Conclusion/Summary	:	Mixture.Not fully tested.		
General Carcinogenicity	:	No known significant effects or critical hazards. No known significant effects or critical hazards.		
		10/17		

## **19WA ONYX BDT6500**

Version Number 1.0 Revision Date 05/28/2025

# AVIENT

Page 11 of 17 Print Date 05/30/2025

Mutagenicity Teratogenicity Developmental effects Fertility effects	::	No known significant effects or critical hazards. Not available. Not available. No known significant effects or critical hazards.
<u>Numerical measures of toxicity</u> <u>Acute toxicity estimates</u> N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

# Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Carbon black			
	Acute EC50 37.563 Mg/l Fresh	Daphnia - Daphnia magna	48 h
	water		
Titanium oxide (TiO2)			
	Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h
	Marine water		
	Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia dubia	48 h
	Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h
	water		
Styrene			
	Acute LC50 4.02 Mg/l Fresh	Fish - Pimephales promelas	96 h
	water		
	Acute EC50 0.0047 Mg/l Fresh water	Daphnia - Daphnia magna	48 h
	Acute LC50 52 Mg/l Marine water	Crustaceans - Artemia salina	48 h
	Acute EC50 78 Mg/l Marine	Algae - Skeletonema costatum	96 h
	water		
19WA ONYX BDT6500			
Remarks - Acute - Aquatic	Chemicals are not readily availabl	e as they are bound within the poly	mer matrix.
invertebrates.			

Conclusion/Summary

Chemicals are not readily available as they are bound within the

:

### 19WA ONYX BDT6500

Version Number 1.0 Revision Date 05/28/2025



Pag	ge 12 of 17
Print Date	05/30/2025

	polymer matrix.
Persistence and degradability	
Conclusion/Summary :	Chemicals are not readily available as they are bound within the polymer matrix.
Conclusion/Summary :	Chemicals are not readily available as they are bound within the polymer matrix.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Styrene	0.35	13.49	low

#### Mobility in soil

Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## Section 14. Transport information

12/17

#### **19WA ONYX BDT6500**

Version Number 1.0 Revision Date 05/28/2025



Page 13 of 17 Print Date 05/30/2025

U.S.DOT 49CFR Ground/Air/Water	: Not regulated for transportation.
International Air ICAO/IATA	: Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	: Not classified as dangerous goods under transport regulations.

# Section 15. Regulatory information

U.S. Federal regulations		<b>States - TSCA 12(b) - Chemical export notification:</b> None
		components are listed.
		I States - TSCA 4(a) - Final Test Rules: Not listed
	United	I States - TSCA 4(a) - ITC Priority list: Not listed
	United	l States - TSCA 4(a) - Proposed test rules: Not listed
	United	I States - TSCA 4(f) - Priority risk review: Not listed
	United listed	l States - TSCA 5(a)2 - Final significant new use rules: Not
	<b>United</b> Not lis	l States - TSCA 5(a)2 - Proposed significant new use rules: ted
	United	<b>States - TSCA 5(e) - Substances consent order:</b> Not listed
		I States - TSCA 6 - Final risk management: Not listed
		<b>I States - TSCA 6 - Proposed risk management:</b> Not listed
		<b>I States - TSCA 8(a) - Chemical risk rules:</b> Not listed
		<b>I States - TSCA 8(a) - Dioxin/Furane precusor:</b> Not listed
		<b>I States - TSCA 8(a) - Chemical Data Reporting (CDR):</b> Not
	determ	
	United	l States - TSCA 8(a) - Preliminary assessment report
		): Not listed
		States - TSCA 8(c) - Significant adverse reaction (SAR):
	Not lis	
		<b>I States - TSCA 8(d) - Health and safety studies:</b> Not listed
	United pollut:	I States - EPA Clean water act (CWA) section 307 - Priority ants: Listed Ethyl benzene lonitrile
	<b>T</b> T •	
		States - EPA Clean water act (CWA) section 311 -
		dous substances: Listed
		l States - EPA Clean air act (CAA) section 112 - Accidental
		e prevention - Flammable substances: Not listed
		l States - EPA Clean air act (CAA) section 112 - Accidental
	releas	e prevention - Toxic substances: Not listed

## 19WA ONYX BDT6500

Version Number 1.0 Revision Date 05/28/2025

# AVIENT

Page 14 of 17 Print Date 05/30/2025

**United States - Department of commerce - Precursor chemical:** Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II		Not listed
Substances	•	Not fisted
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		XT . 11 . 1
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

#### **Composition/information on ingredients**

No products were found.

Name	%	Classification
2-Propenenitrile, polymer with ethenylbenzene	>= 50 - <= 75	ACUTE TOXICITY - oral - Category 4
Carbon black	>= 5 - <= 10	CARCINOGENICITY - Category 2
Titanium oxide (TiO2)	>= 3 - <= 5	CARCINOGENICITY - Category 2
Styrene	> 0 - <= 0.3	FLAMMABLE LIQUIDS - Category 3 ACUTE TOXICITY - inhalation - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A CARCINOGENICITY - Category 2

#### <u>SARA 313</u>

#### Form R - Reporting requirements

Product name	CAS number	%
Styrene	100-42-5	>= 0.1 - < 1

#### **19WA ONYX BDT6500**

Version Number 1.0 Revision Date 05/28/2025



Page 15 of 17 Print Date 05/30/2025

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: The following components are listed: Carbon black
	Titanium dioxide
	White mineral oil (petroleum)
New York	None of the components are listed.
New Jersey	The following components are listed:
·	2-Propenenitrile, polymer with Ethenylbenzene
	Carbon black
	Titanium dioxide
	White mineral oil (petroleum)
Pennsylvania	The following components are listed:
	Carbon black
	Titanium dioxide

#### California Prop. 65

**WARNING:** This product can expose you to chemicals including Carbon black, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Carbon black	-	-
Titanium dioxide	-	-
Styrene	Yes.	-

United States inventory (TSCA 8b)	:	All components are active or exempted.		
Canada inventory	:	All components are listed or exempted.		
International regulations Inventory list				
Australia	:	Not determined.		
Canada	:	All components are listed or exempted.		
China	:	Not determined.		
Eurasian Economic Union	:	Russian Federation inventory: Not determined.		
Japan	:	Japan inventory (CSCL): Not determined.		
-		Japan inventory (ISHL): Not determined.		
New Zealand	:	Not determined.		
15/17				

#### 19WA ONYX BDT6500

Version Number 1.0 Revision Date 05/28/2025



Page 16 of 17 Print Date 05/30/2025

Philippines	:	Not determined.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Thailand	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.
Viet Nam	:	Not determined.

# **Section 16. Other information**

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

HISTOLA		
Date of printing	:	05/30/2025
Date of issue/Date of revision	:	05/28/2025
Date of previous issue	:	05/05/2022
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or

## 19WA ONYX BDT6500

Version Number 1.0 Revision Date 05/28/2025



Page 17 of 17 Print Date 05/30/2025

completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.