

**SAFETY DATA SHEET****DOW INTMB190**

Version Number 1.0  
Revision Date 07/17/2026

Page 1 of 20  
Print Date 07/18/2026

# SAFETY DATA SHEET

**DOW INTMB190****Section 1. Identification**

GHS product identifier : DOW INTMB190  
Chemical name : Mixture  
CAS number : Mixture  
Other means of identification : FO20052214  
Product type : solid

**Relevant identified uses of the substance or mixture and uses advised against**

Product use : Industrial applications. Plastics.

Supplier's details : **AVIENT CORPORATION**  
33587 Walker Road, Avon Lake, OH 44012  
  
1 (440) 930-1000 or 1 (844) 4AVIENT

Emergency telephone number (with hours of operation) : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

**Section 2. Hazards identification**

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture : Not classified.

**GHS label elements**

Signal word : No signal word.  
Hazard statements : No known significant effects or critical hazards.

**Precautionary statements**

Prevention : Not applicable.  
Response : Not applicable.  
Storage : Not applicable.

**SAFETY DATA SHEET****DOW INTMB190**

Version Number 1.0  
Revision Date 07/17/2026

Page 2 of 20  
Print Date 07/18/2026

**Disposal** : Not applicable.  
**Hazards not otherwise classified** : None known.  
**Hazards identified when used** : No known significant effects or critical hazards.

**Section 3. Composition/information on ingredients**

**Substance/mixture** : Mixture  
**Chemical name** : DOW INTMB190  
**Other means of identification** : DOW INTMB190

| <b>Ingredient name</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>Synonyms</b>                       | <b>%</b>        | <b>Identifiers</b> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|-----------------|--------------------|
| Calcium hydroxide                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | calcium dihydroxide                   | >= 30 - <= 60   | CAS: 1305-62-0     |
| C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al <sub>2</sub> O <sub>3</sub> , B <sub>2</sub> O <sub>3</sub> , CuO, MnO, NiO, or SiO <sub>2</sub> . This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. | iron cobalt chromite black spinel     | >= 0.5 - <= 1.5 | -                  |
| Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl-                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | octamethylcyclotetrasiloxane          | > 0 - <= 1      | CAS: 556-67-2      |
| Quartz (SiO <sub>2</sub> )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | crystalline silica, respirable powder | > 0 - <= 1      | CAS: 14808-60-7    |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.**

**Occupational exposure limits, if available, are listed in Section 8.**

**Section 4. First aid measures**

**SAFETY DATA SHEET****DOW INTMB190**

Version Number 1.0  
Revision Date 07/17/2026

Page 3 of 20  
Print Date 07/18/2026

**Description of necessary first aid measures**

- |                     |   |                                                                                                                                                                                                                                                        |
|---------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye contact</b>  | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.                                                                    |
| <b>Inhalation</b>   | : | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.                                                                                                                          |
| <b>Skin contact</b> | : | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.                                                                                                                         |
| <b>Ingestion</b>    | : | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |

**Most important symptoms/effects, acute and delayed****Potential acute health effects**

- |                     |   |                                                   |
|---------------------|---|---------------------------------------------------|
| <b>Eye contact</b>  | : | No known significant effects or critical hazards. |
| <b>Inhalation</b>   | : | No known significant effects or critical hazards. |
| <b>Skin contact</b> | : | No known significant effects or critical hazards. |
| <b>Ingestion</b>    | : | No known significant effects or critical hazards. |

**Over-exposure signs/symptoms**

- |                     |   |                   |
|---------------------|---|-------------------|
| <b>Eye contact</b>  | : | No specific data. |
| <b>Inhalation</b>   | : | No specific data. |
| <b>Skin contact</b> | : | No specific data. |
| <b>Ingestion</b>    | : | No specific data. |

**Indication of immediate medical attention and special treatment needed, if necessary**

- |                                   |   |                                                                                                                           |
|-----------------------------------|---|---------------------------------------------------------------------------------------------------------------------------|
| <b>Notes to physician</b>         | : | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| <b>Specific treatments</b>        | : | No specific treatment.                                                                                                    |
| <b>Protection of first-aiders</b> | : | No action shall be taken involving any personal risk or without suitable training.                                        |

See toxicological information (Section 11)

|                                          |
|------------------------------------------|
| <b>Section 5. Fire-fighting measures</b> |
|------------------------------------------|

**SAFETY DATA SHEET****DOW INTMB190**

Version Number 1.0

Revision Date 07/17/2026

Page 4 of 20

Print Date 07/18/2026

**Extinguishing media**

- Suitable extinguishing media** : In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.  
**Unsuitable extinguishing media** : None known.

**Specific hazards arising from the chemical** : No specific fire or explosion hazard.

**Hazardous thermal decomposition products** : Decomposition products may include the following materials: metal oxide/oxides

**Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**Section 6. Accidental release measures****Personal precautions, protective equipment and emergency procedures**

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**Methods and materials for containment and cleaning up**

- Small spill** : Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

**SAFETY DATA SHEET****DOW INTMB190**

Version Number 1.0  
Revision Date 07/17/2026

Page 5 of 20  
Print Date 07/18/2026

## Section 7. Handling and storage

**Precautions for safe handling**

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

**Control parameters****Occupational exposure limits**

| <b>Ingredient name</b>                                                                                                                                                                       | <b>Exposure limits</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Calcium hydroxide                                                                                                                                                                            | <b>CAL OSHA PEL (2018-05-16). [calcium hydroxide]</b><br>TWA 8 hours: 5 mg/m <sup>3</sup><br><b>ACGIH TLV (1994-09-01). [Calcium hydroxide]</b><br>TWA 8 hours: 5 mg/m <sup>3</sup><br><b>NIOSH REL (2010-09-01). [CALCIUM HYDROXIDE]</b><br>TWA 10 hours: 5 mg/m <sup>3</sup><br><b>OSHA PEL 1989 (1989-03-01). [Calcium hydroxide]</b><br>TWA 8 hours: 5 mg/m <sup>3</sup><br><b>OSHA PEL (1993-06-30). [Calcium hydroxide]</b><br>TWA 8 hours: 5 mg/m <sup>3</sup> Form: Respirable fraction<br>TWA 8 hours: 15 mg/m <sup>3</sup> Form: Total dust |
| C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in | <b>ACGIH TLV (2019-03-26). [cobalt and inorganic compounds as Co] A3. Inhalation sensitizer. Skin sensitizer.</b><br>TWA 8 hours: 0.02 mg/m <sup>3</sup> (as Co)                                                                                                                                                                                                                                                                                                                                                                                      |

**SAFETY DATA SHEET****DOW INTMB190**

Version Number 1.0

Page 6 of 20

Revision Date 07/17/2026

Print Date 07/18/2026

|                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al<sub>2</sub>O<sub>3</sub>, B<sub>2</sub>O<sub>3</sub>, CuO, MnO, NiO, or SiO<sub>2</sub>. This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl-                                                                                                                                                                                                                                                                                                                                  | <p><b>OARS WEEL (2018-05-07). [octamethylcyclotetrasiloxane]</b><br/>TWA 8 hours: 10 ppm</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Quartz (SiO <sub>2</sub> )                                                                                                                                                                                                                                                                                                                                                       | <p><b>OSHA PEL Z3 (1997-09-03). [Silica, Crystalline Quartz non-respirable]</b><br/>TWA 8 Hours: 30/ (%SiO<sub>2</sub>+2) mg/m<sup>3</sup> Form: Total dust<br/> <b>OSHA PEL Z3 (2016-06-23). [Silica, Crystalline Quartz respirable powder]</b><br/> TWA 8 Hours: 10/ (%SiO<sub>2</sub>+2) mg/m<sup>3</sup> Form: Respirable<br/> TWA 8 Hours: 250/ (%SiO<sub>2</sub>+5) mppcf Form: Respirable<br/> <b>CAL OSHA PEL (2018-05-16). [silica, crystalline - quartz]</b><br/> TWA 8 hours: 0.05 mg/m<sup>3</sup><br/> <b>OSHA PEL 1989 (1989-03-01). [Silica, crystalline quartz (as quartz), respirable dust]</b><br/> TWA 8 hours: 0.1 mg/m<sup>3</sup> (Calculated as Quartz) Form: Respirable dust<br/> <b>OSHA PEL (2016-06-23). [Silica, crystalline]</b><br/> TWA 8 hours: 50 µg/m<sup>3</sup> Form: Respirable dust<br/> <b>NIOSH REL (2010-09-01). [SILICA, CRYSTALLINE (AS RESPIRABLE DUST)] See Appendix A - NIOSH Potential Occupational Carcinogen.</b><br/> TWA 10 hours: 0.05 mg/m<sup>3</sup> Form: Respirable dust<br/> <b>ACGIH TLV (2005-12-09). [Silica, crystalline] A2.</b><br/> TWA 8 hours: 0.025 mg/m<sup>3</sup> Form: Respirable fraction</p> |

**Biological exposure indices**

| <b>Ingredient name</b>                                                                                                                                                                                                                                               | <b>Exposure indices</b>                                                                                                                                                                                                                                                                                                                                                                           |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a | <p><b>ACGIH BEI (2012-03-05) [cobalt and inorganic compounds including cobalt oxides]</b><br/> BEI - 15 µg/l, not combined with tungsten carbide - cobalt [in urine].<br/> Sampling time: end of shift at end of workweek<br/> <b>ACGIH BEI (2012-03-05) [cobalt and inorganic compounds including cobalt oxides]</b><br/> BEI - [Nonquantitative: Biological monitoring should be considered</p> |

**SAFETY DATA SHEET****DOW INTMB190**

Version Number 1.0

Page 7 of 20

Revision Date 07/17/2026

Print Date 07/18/2026

|                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al <sub>2</sub> O <sub>3</sub> , B <sub>2</sub> O <sub>3</sub> , CuO, MnO, NiO, or SiO <sub>2</sub> . This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. | for this compound based on the review; however, a specific BEI® could not be determined due to insufficient data.], cobalt with tungsten carbide - cobalt [in urine]. Sampling time: end of shift at end of workweek |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**Individual protection measures**

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Section 9. Physical and chemical properties**

**SAFETY DATA SHEET****DOW INTMB190**

Version Number 1.0  
Revision Date 07/17/2026

Page 8 of 20  
Print Date 07/18/2026

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

**Appearance**

|                                                                 |   |                                                                      |
|-----------------------------------------------------------------|---|----------------------------------------------------------------------|
| <b>Physical state</b>                                           | : | solid [Viscous liquid.]                                              |
| <b>Color</b>                                                    | : | NO PIGMENT                                                           |
| <b>Odor</b>                                                     | : | Faint odor.                                                          |
| <b>Odor threshold</b>                                           | : | Not available.                                                       |
| <b>pH</b>                                                       | : | Not available.                                                       |
| <b>Melting point/freezing point</b>                             | : | Not available.                                                       |
| <b>Boiling point or initial boiling point and boiling range</b> | : | Not available.                                                       |
| <b>Flash point</b>                                              | : | Not applicable.                                                      |
| <b>Evaporation rate</b>                                         | : | Not available.                                                       |
| <b>Flammability</b>                                             | : | Not available.                                                       |
| <b>Lower and upper explosion limit/flammability limit</b>       | : | <b>Lower:</b> Not applicable.<br><b>Upper:</b> Not applicable.       |
| <b>Vapor pressure</b>                                           | : | Not available.                                                       |
| <b>Relative vapor density</b>                                   | : | Not applicable.                                                      |
| <b>Relative density</b>                                         | : | Not available.                                                       |
| <b>Solubility in water</b>                                      | : | insoluble in water.                                                  |
| <b>Partition coefficient: n-octanol/water</b>                   | : | Not applicable.                                                      |
| <b>Auto-ignition temperature</b>                                | : | Not applicable.                                                      |
| <b>Decomposition temperature</b>                                | : | Not available.                                                       |
| <b>Viscosity</b>                                                | : | <b>Dynamic</b> : Not available.<br><b>Kinematic</b> : Not available. |

**Particle characteristics**

|                             |   |                |
|-----------------------------|---|----------------|
| <b>Median particle size</b> | : | Not available. |
|-----------------------------|---|----------------|

**Section 10. Stability and reactivity**

|                   |   |                                                                                            |
|-------------------|---|--------------------------------------------------------------------------------------------|
| <b>Reactivity</b> | : | No specific test data related to reactivity available for this product or its ingredients. |
|-------------------|---|--------------------------------------------------------------------------------------------|

**SAFETY DATA SHEET****DOW INTMB190**

Version Number 1.0  
Revision Date 07/17/2026

Page 9 of 20  
Print Date 07/18/2026

- Chemical stability** : Stable under recommended storage and handling conditions (see Section 7).
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- Conditions to avoid** : Keep away from extreme heat and oxidizing agents.
- Incompatible materials** : Keep away from strong acids. Oxidizer.
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**Section 11. Toxicological information****Information on toxicological effects****Acute toxicity**

| Product/ingredient name                         | Result                                                                                                                                            |
|-------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Calcium hydroxide                               | <b>Rat - Oral - LD50</b><br>7,340 mg/kg                                                                                                           |
| Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl- | <b>Rat - Oral - LD50</b><br>1,540 mg/kg<br><b>Rat - Dermal - LD50</b><br>1,770 mg/kg<br><br><b>Rat - Inhalation - LC50 Vapor</b><br>36 Mg/l [4 h] |

**Conclusion/Summary** : Mixture.Not fully tested.

**Skin corrosion/irritation**

| Product/ingredient name                         | Result                                                                                 |
|-------------------------------------------------|----------------------------------------------------------------------------------------|
| Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl- | <b>Rabbit - Skin - Mild irritant</b><br><u>Duration of treatment/exposure</u> : 24 hrs |

**Conclusion/Summary** : Mixture.Not fully tested.

**SAFETY DATA SHEET****DOW INTMB190**

Version Number 1.0  
Revision Date 07/17/2026

Page 10 of 20  
Print Date 07/18/2026

**Serious eye damage/eye irritation**

| Product/ingredient name                            | Result                                                                          |
|----------------------------------------------------|---------------------------------------------------------------------------------|
| Calcium hydroxide                                  | Rabbit - Eyes - Severe irritant                                                 |
| Cyclotetrasiloxane,<br>2,2,4,4,6,6,8,8-octamethyl- | Rabbit - Eyes - Mild irritant<br><u>Duration of treatment/exposure</u> : 24 hrs |

**Conclusion/Summary** : Mixture.Not fully tested.

**Respiratory corrosion/irritation**

**Conclusion/Summary** : Mixture.Not fully tested.

**Respiratory or skin sensitization****Skin**

**Conclusion/Summary** : Mixture.Not fully tested.

**Respiratory**

**Conclusion/Summary** : Mixture.Not fully tested.

**Germ cell mutagenicity**

**Conclusion/Summary** : Mixture.Not fully tested.

**Carcinogenicity**

**Conclusion/Summary** : Mixture.Not fully tested.

**Classification**

| Product/ingredient name                                                                                                                                                  | OSHA | IARC | NTP                                              |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|--------------------------------------------------|
| C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and | -    | 2B   | Reasonably anticipated to be a human carcinogen. |

**SAFETY DATA SHEET****DOW INTMB190**

Version Number 1.0

Page 11 of 20

Revision Date 07/17/2026

Print Date 07/18/2026

|                                                                                                                                                                                                                                                                                                                                                                                                         |   |   |                                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|---------------------------------|
| iron (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al <sub>2</sub> O <sub>3</sub> , B <sub>2</sub> O <sub>3</sub> , CuO, MnO, NiO, or SiO <sub>2</sub> . This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. |   |   |                                 |
| Quartz (SiO <sub>2</sub> )                                                                                                                                                                                                                                                                                                                                                                              | + | 1 | Known to be a human carcinogen. |

**Reproductive toxicity**

**Conclusion/Summary** : Mixture. Not fully tested.

**Specific target organ toxicity (single exposure)**

Not available.

**Specific target organ toxicity (repeated exposure)**

| Product/ingredient name    | Result                                                          |
|----------------------------|-----------------------------------------------------------------|
| Quartz (SiO <sub>2</sub> ) | SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1 |

**Aspiration hazard**

Not available.

**Information on the likely routes of exposure**

Not available.

**Potential acute health effects**

**Eye contact** : No known significant effects or critical hazards.  
**Inhalation** : No known significant effects or critical hazards.  
**Skin contact** : No known significant effects or critical hazards.  
**Ingestion** : No known significant effects or critical hazards.

**SAFETY DATA SHEET****DOW INTMB190**

Version Number 1.0

Revision Date 07/17/2026

Page 12 of 20

Print Date 07/18/2026

**Symptoms related to the physical, chemical and toxicological characteristics**

Eye contact : No specific data.  
 Inhalation : No specific data.  
 Skin contact : No specific data.  
 Ingestion : No specific data.

**Delayed and immediate effects and also chronic effects from short and long term exposure****Short term exposure**

Potential immediate effects : Not available.  
 Potential delayed effects : Not available.

**Long term exposure**

Potential immediate effects : Not available.  
 Potential delayed effects : Not available.

**Potential chronic health effects**

Not available.

**Conclusion/Summary** : Mixture. Not fully tested.

**General** : No known significant effects or critical hazards.  
**Carcinogenicity** : No known significant effects or critical hazards.  
**Mutagenicity** : No known significant effects or critical hazards.  
**Reproductive toxicity** : No known significant effects or critical hazards.

**Numerical measures of toxicity****Acute toxicity estimates**

| Product/ingredient name                            | Oral       | Dermal     | Inhalation<br>(gases) | Inhalation<br>(vapors) | Inhalation<br>(dusts and<br>mists) |
|----------------------------------------------------|------------|------------|-----------------------|------------------------|------------------------------------|
| Calcium hydroxide                                  | 7340 mg/kg | N/A        | N/A                   | N/A                    | N/A                                |
| Cyclotetrasiloxane,<br>2,2,4,4,6,6,8,8-octamethyl- | 1540 mg/kg | 1770 mg/kg | N/A                   | 36 Mg/l                | N/A                                |

**Section 12. Ecological information**

**SAFETY DATA SHEET****DOW INTMB190**

Version Number 1.0

Revision Date 07/17/2026

Page 13 of 20

Print Date 07/18/2026

**Toxicity**

| Product/ingredient name                         | Result                                                                                                                                                                                                                                                                                                |
|-------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DOW INTMB190                                    | <b>Remarks:</b> Chemicals are not readily available as they are bound within the polymer matrix.                                                                                                                                                                                                      |
| Calcium hydroxide                               | <b>Acute LC50 Fresh water</b><br>Fish - <i>Clarias gariepinus</i><br>33.8844 Mg/l [96 h]                                                                                                                                                                                                              |
| Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl- | <b>Acute LC50 Fresh water</b><br>Fish - <i>Leuciscus idus ssp. melanotus</i><br>0.204 - 3.483 Mg/l [96 h]<br><b>Chronic NOEC Fresh water</b><br>Fish - <i>Oncorhynchus mykiss</i><br>0.0000044 mg/l [93 d]<br><b>Chronic NOEC Fresh water</b><br>Daphnia - <i>Daphnia magna</i><br>0.0079 Mg/l [21 d] |

**Conclusion/Summary** : Not available.**Persistence and degradability**

Not available.

**Conclusion/Summary** : Chemicals are not readily available as they are bound within the polymer matrix.**Bioaccumulative potential**

| Product/ingredient name                         | LogPow | BCF                          | Potential |
|-------------------------------------------------|--------|------------------------------|-----------|
| Cyclotetrasiloxane, 2,2,4,4,6,6,8,8-octamethyl- | 6.488  | 13,400.00 [EPA OTS 797.1520] | High      |

**Mobility in soil****Soil/Water partition coefficient** : Not available.  
**Mobility** : Chemicals are not readily available as they are bound within the polymer matrix.**Other adverse effects**

No known significant effects or critical hazards.

**SAFETY DATA SHEET****DOW INTMB190**

Version Number 1.0  
Revision Date 07/17/2026

Page 14 of 20  
Print Date 07/18/2026

**Section 13. Disposal considerations**

- Disposal methods** :
- The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**Section 14. Transport information**

- U.S.DOT 49CFR : Not regulated for transportation.  
Ground/Air/Water
- IATA : Not classified as dangerous goods under transport regulations.
- IMDG : Not classified as dangerous goods under transport regulations.

**Section 15. Regulatory information****U.S. Federal regulations**

**TSCA 8(a) CDR Exempt/Partial exemption:** Not determined

**TSCA 8(a) - Preliminary assessment report (PAIR):** Octamethylcyclotetrasiloxane;

**TSCA 12(b) - Chemical export notification**

- Clean Air Act Section 112(b)** : Listed  
**Hazardous Air Pollutants (HAPs)**  
**Clean Air Act Section 602 Class I** : Not listed  
**Substances**  
**Clean Air Act Section 602 Class** : Not listed  
**II Substances**

**SAFETY DATA SHEET****DOW INTMB190**

Version Number 1.0  
Revision Date 07/17/2026

Page 15 of 20  
Print Date 07/18/2026

DEA List I Chemicals (Precursor : Not listed  
Chemicals)  
DEA List II Chemicals (Essential : Not listed  
Chemicals)

**SARA 302/304****Composition/information on ingredients**

No products were found.

SARA 304 RQ : Not applicable.

**SARA 311/312**

Classification : Not applicable.

**Composition/information on ingredients**

No products were found.

| Name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | %               | Classification                 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------------|
| Calcium hydroxide                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | >= 30 - <= 60   | EYE IRRITATION - Category 2A   |
| C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al <sub>2</sub> O <sub>3</sub> , B <sub>2</sub> O <sub>3</sub> , CuO, MnO, NiO, or SiO <sub>2</sub> . This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. | >= 0.5 - <= 1.5 | CARCINOGENICITY - Category 2   |
| Cyclotetrasiloxane,                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | > 0 - <= 1      | FLAMMABLE LIQUIDS - Category 3 |

**SAFETY DATA SHEET****DOW INTMB190**

Version Number 1.0

Revision Date 07/17/2026

Page 16 of 20

Print Date 07/18/2026

|                             |            |                                                                                                                                                  |
|-----------------------------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| 2,2,4,4,6,6,8,8-octamethyl- |            | ACUTE TOXICITY - oral - Category 4<br>ACUTE TOXICITY - dermal - Category 4<br>EYE IRRITATION - Category 2B<br>TOXIC TO REPRODUCTION - Category 2 |
| Quartz (SiO <sub>2</sub> )  | > 0 - <= 1 | CARCINOGENICITY - inhalation - Category 1A<br>SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1                                    |

**SARA 313****Form R - Reporting requirements**

| Product name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | CAS number | %               |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------------|
| C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al <sub>2</sub> O <sub>3</sub> , B <sub>2</sub> O <sub>3</sub> , CuO, MnO, NiO, or SiO <sub>2</sub> . This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. | -          | >= 0.5 - <= 1.5 |

**Supplier notification**

| Product name                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | CAS number | %               |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------------|
| C.I. Pigment Black 27 An inorganic pigment that is the reaction product of high temperature calcination in which iron (II) oxide, cobalt (II) oxide, chromium (III), and iron (III) oxide in varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel. Its composition may include any one or a combination of the modifiers Al <sub>2</sub> O <sub>3</sub> , B <sub>2</sub> O <sub>3</sub> , CuO, MnO, NiO, or SiO <sub>2</sub> . This substance is identified in the COLOUR INDEX by Colour Index Constitution Number, C.I. 77502. | -          | >= 0.5 - <= 1.5 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

**State regulations**

**Massachusetts** : The following components are listed:  
Calcium hydroxide

**New York** : None of the components are listed.

**SAFETY DATA SHEET****DOW INTMB190**

Version Number 1.0

Revision Date 07/17/2026

Page 17 of 20

Print Date 07/18/2026

**New Jersey** : The following components are listed:  
 CALCIUM HYDROXIDE  
 COBALT compounds  
 SILICA, QUARTZ

**Pennsylvania** : The following components are listed:  
 CALCIUM HYDROXIDE  
 COBALT COMPOUNDS

**California Prop. 65**

 **WARNING:** This product can expose you to, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

| <b>Ingredient name</b> | <b>No significant risk level</b> | <b>Maximum acceptable dosage level</b> |
|------------------------|----------------------------------|----------------------------------------|
| Quartz                 | -                                | -                                      |

**International regulations****Chemical Weapon Convention List Schedules I, II & III Chemicals****Chemical Weapons Convention List Schedule I Chemicals**

None of the components are listed.

**Chemical Weapons Convention List Schedule II Chemicals**

None of the components are listed.

**Chemical Weapons Convention List Schedule III Chemicals**

None of the components are listed.

**Montreal Protocol**

None of the components are listed.

**Stockholm Convention on Persistent Organic Pollutants****Annex A - Elimination - Production**

None of the components are listed.

**Annex A - Elimination - Use**

None of the components are listed.

**Annex B - Restriction - Production**

## SAFETY DATA SHEET

### **DOW INTMB190**

Version Number 1.0

Revision Date 07/17/2026

Page 18 of 20

Print Date 07/18/2026

None of the components are listed.

#### **Annex B - Restriction - Use**

None of the components are listed.

#### **Annex C - Unintentional - Production**

None of the components are listed.

### **Rotterdam Convention on Prior Informed Consent (PIC)**

#### **Rotterdam Convention on Prior Informed Consent (PIC) - Industrial**

None of the components are listed.

#### **Rotterdam Convention on Prior Informed Consent (PIC) - Pesticide**

None of the components are listed.

#### **Rotterdam Convention on Prior Informed Consent (PIC) - Severely hazardous pesticide**

None of the components are listed.

### **UNECE Aarhus Protocol on POPs and Heavy Metals**

#### **Heavy metals - Annex 1**

None of the components are listed.

#### **POPs - Annex 1 - Production**

None of the components are listed.

#### **POPs - Annex 1 - Use**

None of the components are listed.

#### **POPs - Annex 2**

None of the components are listed.

#### **POPs - Annex 3**

None of the components are listed.

### **Inventory list**

|                                |   |                                                                                                  |
|--------------------------------|---|--------------------------------------------------------------------------------------------------|
| <b>Australia</b>               | : | All components are listed or exempted.                                                           |
| <b>Canada</b>                  | : | All components are listed or exempted.                                                           |
| <b>China</b>                   | : | All components are listed or exempted.                                                           |
| <b>Eurasian Economic Union</b> | : | <b>Russian Federation inventory:</b> Not determined.                                             |
| <b>Japan</b>                   | : | <b>Japan inventory (CSCL):</b> Not determined.<br><b>Japan inventory (ISHL):</b> Not determined. |
| <b>New Zealand</b>             | : | Not determined.                                                                                  |

**SAFETY DATA SHEET****DOW INTMB190**

Version Number 1.0

Revision Date 07/17/2026

Page 19 of 20

Print Date 07/18/2026


|                   |   |                                        |
|-------------------|---|----------------------------------------|
| Philippines       | : | All components are listed or exempted. |
| Republic of Korea | : | All components are listed or exempted. |
| Taiwan            | : | All components are listed or exempted. |
| Thailand          | : | Not determined.                        |
| Turkey            | : | Not determined.                        |
| United States     | : | All components are active or exempted. |
| Viet Nam          | : | Not determined.                        |

**Section 16. Other information****Hazardous Material Information System (U.S.A.)**

|                  |   |   |
|------------------|---|---|
| Health           | / | 0 |
| Flammability     |   | 0 |
| Physical hazards |   | 0 |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

**National Fire Protection Association (U.S.A.)****Procedure used to derive the classification**

Not classified.

**History**

|                                |   |            |
|--------------------------------|---|------------|
| Date of printing               | : | 07/18/2026 |
| Date of issue/Date of revision | : | 07/17/2026 |
| Date of previous issue         | : | 00/00/0000 |
| Version                        | : | 1.0        |

**SAFETY DATA SHEET****DOW INTMB190**

Version Number 1.0

Revision Date 07/17/2026

Page 20 of 20

Print Date 07/18/2026

**Prepared by****Key to abbreviations**

- : EHS\_BATCH
- : ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- DOT = Department of Transportation
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- IMO = International Maritime Organization
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- N/A = Not available
- SGG = Segregation Group
- TDG = Transportation of Dangerous Goods
- UN = United Nations
- : Not available.

**References****Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.